AUGUST 1958 AUGUST 1958

CAR FERRY TERMINAL

15c

meccanoindex.co.uk



A picture of realism.

Look how perfectly these Dublo Dinky Toys fit the railway scene! That is because they are made to the scale of "00" Gauge Railways, and they add much to the fun and realism of model railway working. They are precision die-cast in metal, fitted with one-piece non-scratch moulded wheels and tyres, and finished in attractive colours. Dublo Dinky Toys are ideal for road layouts, too, or for youngsters who prize and collect them for their wonderful detail.







on 120 roll film. Ask your dealer to show it to you. PRICE 38/7

Send P.C. for FREE brochure to


CORONET LTD. DEPT. 28. SUMMER LANE B'HAM 19.

.

iii



ORDER EVERTHING IN 00 & TT FROM OUR RAILWAY SUPERMARKET



RAILWAY SUPERMARKET

iv

OPPOSITE TUBE STATION

Pal 4258

Manchester is the home of one of the largest electrical engineering organisations in the country-the Metropolitan-Vickers Electrical Co. Ltd.

Over the years the company has provided power for all industries, and it can claim to have contributed to progress in the fields of Nuclear Physics, Electronics and Automation. Some of the achievements of this organisation are plant totalling 430 MW. supplied during 1956 to the Central Electricity Generating Board, including a generator fitted with a new cooling system the first in the world—which will enable these machines to be built for far larger outputs than at present; complete electrical equipments for some of the largest hydro-electrical stations abroad; the design and manufacture of the control system at Calder Hall nuclear power station; the contract for the turbine generator for Canada's first nuclear power station; complete electric locomotives, Diesel-lectric locomotives and multipleunit trains for railways all over the world, including the development of electrical equipment for operation on the new 25 kV single-phase a.c. system adopted by British Railways.

MV will also provide the main generating plant for the CEGB station at Berkeley on the Severn Estuary, which will be the first commercial nuclear power station in the world. There are wonderful opportunities for suitably qualified students to be trained for useful and well paid positions in any of these interesting and exciting fields of electrical and mechanical engineering.

The Company's training facilities are unsurpassed, and are planned to meet the needs of boys and girls from school, college students and university graduates.

On completion of training, opportunities are available for employment in the Company's laboratories, engineering workshops and offices at:

MANCHESTER · SHEFFIELD · MOTHERWELL · GLASGOW · HARLOW · LONDON

For further details, please apply to THE MANAGER, EDUCATION DEPT



An A.E.I. Company

LEAVING SCHOOL? HERE'S AN EXCITING CHANCE!



NOTHING DULL ABOUT LEARNING A TRADE IN THE NEW ARMY

> You can get out and about and lead a real man's life if you join one of the Army Apprentices Schools. It's the best start to a fine career. You get a first-class technical training, in most cases recognized by the T.U.C., for any one of forty different trades—and training, board and lodging are all free. You're earning while you learn, and you get a whole eight weeks' paid holiday every year. On top of that, it's an exciting outof-door life with plenty of sport among a fine bunch of people your own age. And you know that afterwards there's a key technical job waiting for you in the New Army.

IF YOU'RE 141-1612 SEND OFF THIS COUPON NOW!



TO THE WAR OFFICE (MP6), LONDON, S.W.1. Please send me details of Army Apprentices School

training and conditions of entry.

ADDRESS

Applications for the Entry Examinations must be in by Sept. 16th, 1958. AA3/QP


AGE

Make tracks for your garden . . .

And make them now with dry, sun-shiny days ahead and the long light evenings of summer. What are your materials? Track parts, a few lengths of wood, a pound or so of mixed sand and cement and whatsoever else your ingenuity may suggest. So easy is it to begin

this boundless, fascinating feature. And what an attraction it will be, and how your friends will admire it! There's twice the interest in a garden that is served by a real live working railway.

Send for 56 page (plus supplement) Model Railway Catalogue 2/-



Our staff at London or Manchester branches will be very pleased to answer any questions and give you practical advice concerning your outdoor railway or write to us at Northampton for full details.

BASSETT-LOWKE LTD.

Kingswell Street, NORTHAMPTON

London Showrooms: 112 High Holborn, W.C.2

He's proud

of his

bicycle

with its new

Manchester Showrooms: 28 Corporation Street.

The Smiths cycle speedometer looks good —your friends will crowd round to admire it on your bicycle. The De Luxe Model costs 49/6; and there's a Standard Model at 38/6. Your Smiths cycle speedometer tells you your speed accurately up to 40 m.p.h. and records distance up to 10,000 miles. Take one look at this smart Smiths cycle speedometer—and you'll know you *must* have one! You can get it at all branches of Halfords and most other good cycle stores.

cycle speedometer from

SMITHS MOTOR ACCESSORY DIVISION

> Sales and Service : 50 Oxgate Lane, London N.W.2.

vi



FROG Complete with switch (less batteries) **ELECTRIC POWER PACK**

comprising:

Frog "Revmaster" 6v electric motor mounted on rigid plastic battery-holder making a complete self-contained unit. Operated by two torch batteries (not supplied)

Similar unit with the New Frog "Tornado" geared electric motor.

vii

21/-

A PRODUCT OF LINES BROS.



GROUP OF COMPANIES

Made in England by INTERNATIONAL MODEL AIRCRAFT LTD.

TRADE

MARK

MERTON · LONDON SW19 · ENGLAND

27/6



You can build Houses, Garages, Railway Stations, Fire Stations, or from your own imagination. Buildings can be permanent, or dismantled by merely soaking in water and the bricks used again and again.

> BRICKPLAYER KIT 3-27/6 BRICKPLAYER KIT 4-51/6

Brickplayer Farm Kit-63/-

Accessory Kit 3a which converts Kit 3 into Kit 4-27/6. Extra bricks, roofing, windows and cement are available.

Do you know that you can win prizes of £21, £10 10s. and £5 5s. and a number of consolation prizes in the grand BRICKPLAYER Contest?



At good toyshops, hobby shops and departmental stores. If your dealer cannot supply, write for address of nearest stockist to J. W. SPEAR & SONS LTD. Dept. (M), ENFIELD, MIDDLESEX



CAREERS IN PHYSICS & CHEMISTRY

Chemists and Physicists are normally recruited to the Company's Staff direct from the University. However, in a limited number of cases, the Company is willing to help those not going to a University but who have a good "G.C.E." to become qualified Physicists or Chemists by means of Apprenticeship.

Apprenticeships in Applied Physics are designed to give practical training in development work concerned with electronic valves, such as ignitrons, thyratrons, and magnetrons; with insulations; with lamp research; with semi-conductors; and with many entirely new materials.

Apprenticeships in Chemistry offer training and experience in the analysis of a wide variety of ferrous, non-ferrous, and organic materials.

The parallel academic training which is an integral part of the course normally leads to the Higher National Certificate in Applied Physics or Chemistry. A few suitably qualified Students in Applied Physics (Advanced level G.C.E.) may follow a Sandwich Course operated in conjunction with the Northampton Polytechnic (London) in order to satisfy the academic requirements of the Institute of Physics.

Visits to the Laboratories where most of the practical training is given are welcome-by prior appointment.

Similar training schemes are available in Engineering.

Prospective candidates for entry in September, 1958, should apply for full particulars mentioning this publication to:

THE MANAGER, EDUCATION DEPARTMENT (M), **THE BRITISH THOMSON-HOUSTON CO. LTD., RUGBY** An A.E.I. Company. A5247N

Be snap-happy with **ILFORD** films!

See for yourself what Ilford films will do for your camera. Millions of happy snappers have proved to themselves that Ilford films make all pictures better and good pictures brilliant. So whatever make your camera is, give it a chance to show what it can do—ask for Ilford films and be happy with every snap.




ix




for your Hornby-Dublo Railway

HORNBY-DUBLO LT25 L.M.R. 8F 2-8-0 FREIGHT LOCOMOTIVE AND TENDER

This fine new Locomotive is the first main line heavy goods engine in the Hornby-Dublo System. It represents the L.M.R. design of powerful 2-8-0 used for freight traffic. The Hornby-Dublo 2-8-0 captures the typical appearance of the real engines, with tapered boiler barrel, outside cylinders and motion, and a wealth of smaller detail finely reproduced.





This fine new Locomotive has:
Eight-coupled Driving Wheels
Typical semi-matt black finish
Fully-detailed die-cast Tender
Correct Walschaerts Valve Gear

Overall Length $10\frac{1}{4}$ in. U.K. Price 84/- (inc. tax)



Made and Guaranteed by Meccano Ltd., Binns Road, Liverpool. Next Month: "BLOWING UP RIPPLE ROCKS"

MECCANO

Editorial Office: Binns Road Liverpool 13 England

Holiday Prospects

MAGAZINE

EDITOR . FRANK RILEY, B.Sc.

We are now in what is traditionally the chief holiday month of the year, but whether this is to prove a good one or not remains



Here is a fine picture showing motor cars being driven over the loading bridge on to a car ferry at Dover. Photograph by courtesy of the Dover Harbour Board.

to be seen. The earlier part of the summer was one of the most dismal on record.

Even "flaming June" let us down by turning on to us a record rainfall, which caused many extensive and destructive

floods. While enduring it rather grimly we recalled that a number of weather prophets had suggested that the summer of 1958 would generally be good. As I write, there is still time for this prophecy to be fulfilled, and I hope that the weather has relented for the benefit of every reader who wishes to enjoy himself at the seaside, or in any other holiday resort.

Vol. XLIII

No. 8

August 1958

There may be a bright side to all this. June rain was a record in Britain, and perhaps readers who live on the other side of the world have been faring better. I would like to know.

I wonder how many readers have already taken part in a scene similar to that shown in my picture this month, or will be crossing the Channel during the next few weeks. Those who have such an experience, with an exciting and interesting holiday overseas, will be specially interested in this month's cover showing the busy and colourful scene at the Dover Car Ferry Terminal. This was based on an actual photograph of the Terminal, which I owe to the courtesy of the Dover Harbour A special article on Board. the terminal begins on the next page.

The Editor

Dover—The Gateway of England

By W. Taylor Allen, M.B.E., B.Sc. (Eng.), A.M.I.C.E. Senior Assistant Engineer, Dover Harbour Board

DOVER is situated on the south-east tip of England, and owing to its close proximity to the Continent, has always been of importance to cross-Channel traffic. The deep cleft in the hills, formed in pre-historic times by the River Dour, has always given protection to the small ships



A winter scene at the tugs' berth in Dover Harbour. This one is tied up at the Prince of Wales Pier, the end of which is marked by a lighthouse. The illustrations to this article are reproduced by courtesy of the Dover Harbour Board.

plying across the Strait.

The Commentaries of Julius Cæsar mention the "Haven Between the Hills", and evidence that the Romans used the Port exists today in the form of the *Pharos*, or lighthouse, on the cliffs of the east side of the valley. During the late Saxon period the river became greatly silted and the shipyard, which had up to that time been situated in the estuary, was transferred to a point below the western cliffs, where it was sheltered by a rocky promontory. Following his departure from Dover to meet the French king at the *Field of the Cloth of Gold*, King Henry VIII became interested in improving the Harbour and ordered that the promontory be extended to form a pier.

The work, however, was never fully completed, as the still water in the lee of the pier caused a deposit of shingle across the front of the bay.

This was the beginning of a very difficult period in the history of the Harbour, for the artificial obstruction in the sea caused frequent deposits of shingle across the entrance. During the 300 years that followed, many schemes were put forward in an endeavour to prevent or cure this trouble.

At the beginning of the 19th century, it was proposed that a haven of refuge for the fleet should be constructed in Dover Bay and, in 1847, the Government commenced the construction of the Admiralty Pier, which was envisaged as the Western Arm of this proposed haven. This effectively stopped the silting of the harbour mouth, as it cut off the easterly drift of shingle from the direction of Folkestone.

The construction of the harbour of refuge was taken a step further in 1897, when construction commenced on the Eastern Arm, the Southern Breakwater and the Extension to the Admiralty Pier. This work, which is generally acknowledged to be one of the greatest feats in marine constructional engineering of its time, was completed in 1909. The walls and piers were built of large

blocks weighing from 30 to 40 tons. These blocks were made of concrete, with a granite facing to those that were to be placed on the outside faces of the walls above water level.

The sea-bed was prepared by divers and by men working in diving bells, and when the chalk bottom had been levelled, the concrete blocks were built up in courses. When it is remembered that in the Southern

Breakwater alone nearly one million tons of concrete were used, two-thirds of which are always below water level, and that the work was carried out in the open sea threequarters of a mile from shore, the magnitude of the task can be appreciated.

The gradual development of the Port throughout the centuries has produced the vast artificial harbour of today, with depths of water up to 32 ft.



The motor vessel "Lord Warden", one of the motor car ferry ships. She is built to take up to 130 vehicles.

at low water spring tides, and embodying accommodation for shipping of various types up to vessels of 9,000 net registered tons. The total area, owned by the Port Authority, the Dover Harbour Board, is approximately 850 acres, of which 700 are water area.

The Port is divided into the Outer and Inner Harbours, and the adjacent land areas, the Eastern and Western Docks. Let us look at each of these in turn.

The Outer Harbour gives ample accommodation for visiting liners, and many vessels of the Bergen, Blue Star, East Asiatic, Elder Dempster, Guinea Gulf, Holland - Africa, Palm and Royal Netherlands Lines use the Port each year. The Passenger Tender *Delphinus* has been



A leaf of the gates of one of the Docks of the Dover Harbour Board being re-positioned.

built recently for the Dover Harbour Board especially for this trade, and besides carrying passengers can transport up to four motor cars from the liner to the shore.

In addition to the new Tender, the Board have also constructed two new 1,000 h.p. Diesel Tugs, the *Diligent* and the *Dominant*.

Coming now to the Inner Harbour, the original Admiralty Pier was widened to a considerable extent at the beginning of this century to make room for the passenger terminal, the Marine Station. At the present time further improvements are in hand in connection with the electrification of lines in the Southern Region down to Dover. It is a surprise to many to find that the number of passengers who embark or

disembark annually through Dover approach the two million mark—more than any other port in the British Isles.

Also in the Inner Harbour is situated the British Railways' Train Ferry Dock. This Dock is of considerable importance as it allows trains to run direct on board a ferry, and later to run off the ship at Dunkirk and continue to their destination by rail. A considerable saving in time and transhipment costs. therefore, ensues. Each ship can take twelve sleeping coaches, or approximately forty goods wagons on the train deck, and has a separate garage for thirty cars.

The Dock can be entered at any state of the tide, the gates closed, and the water level raised as necessary to make the railway tracks connect with the shore. The gates are of box construction and are hinged at the bottom, folding down into recesses in the sea-bed when not in use. They are operated by electrically-driven winches



Sleeping cars of the London-Paris night passenger service being loaded on to a train ferry at Dover. B.R. (Southern Region) Official Photograph.

through wire tackles and can be opened or closed in a few minutes.

Within the Eastern Docks is situated the Car Ferry Terminal, which is pictured on this month's cover. It was opened in 1953 to handle the increasing car traffic to the Continent. In 1928, when Captain S. M. Townsend inaugurated the first ferry service specially for cars, 6,000 vehicles were carried between England and the Continent. In 1939 31,000 were carried, and in 1957 the number had increased to 264,000.

The new Terminal was designed to allow the accompanied motor vehicle to pass through the necessary shore formalities and on to the car ferry with as much speed, comfort and simplicity as possible. To this end considerable thought was given to the layout of car parks, petrol stations and customs hall in order that unnecessary checking and reversing of vehicles could be avoided. At the loading berths, bridges were designed which could be raised and lowered with the tide, and over which the vehicles could drive directly from the shore on to the car deck of the ferry vessel.

At the height of the season six sternloading car ferries use the two loading berths, and between them make 25 trips daily between England and the Continent.

The loading bridges are 140 ft. long, hinged at the shore end and capable of being raised or lowered 17 ft. 3 in. above and below the horizontal at the seaward end. Final access to the ship's deck from the bridge is over a short horizontal platform and a link span that rests on the

ship's deck when in use, and which can be raised drawbridge fashion when not in use. The seaward end of the bridge and platform are hung from a beam that moves vertically in guides in a tall steel and concrete portal structure. Dead loads are largely counterbalanced bv weights hanging in the wings of the portals, and the live loads and excess dead loads are carried by the main hoist winch situated in the machine room directly over the bridge.

Although the weight of the bridge and platform at the seaward end is 140 tons, a 15 h.p. electric motor is able to operate the hoisting winch. The

link span is constructed of five triangular sections, which are so hinged to the platform that the seaward end can follow any list or roll that may take place on the ship's deck.

The operation of the winch is under manual control when a ship is not in the berth, but when once the link span has been lowered on to the ship's deck, the control can be made automatic, and the bridge will then follow the rise and fall of the ship as it varies under loading or as the tide ebbs and flows. The tidal range at Dover is 18 ft. 9 in. at spring tides, and on these occasions can rise as much as 6 ft. within an hour.

The Western Docks include the two impounded areas of water, the Wellington Dock and the Granville Dock. It is these docks that were formed in the years following upon Henry VIII's venture in marine engineering.

The Granville Dock provides facilities for the many different types of cargo that pass through Dover, among which are coal, timber, stone, pit props, wood pulp and fruit. Here electric portal cranes are available for handling the cargo on to rail or road vehicles, or into the modern transit shed.

The Rich Life of Bornu

Stories of Northern Nigeria

By J. Wade

NIGERIA is the largest single piece of "Empire" left to Britain, and will soon achieve self-government. This, and the interest in the new state of Ghana, are likely to make Nigeria front-page news before very long.

The Queen's visit to Nigeria is still alive in the memory, and most people have some idea of the larger centres, such as Lagos, Ibadan, Enugu and Kano. But how many

have any real idea of the peoples of this vast country, over four times the size of Great Britain, with its many tribes, customs and That one languages? portion of Africa should present such bewildering differences is everywhere a matter of surprise.

It is quite impossible, in a short article, to cover the country, since nothing is typically Nigerian, but only typical of the part one is dealing with. For this reason the present article will not go beyond Bornu, and even then not all the peoples there can be presented.

Bornu Province, which includes the Emirates of Bornu, Biu, Bedde, Fika and Dikwa, is in the extreme north-east of

Nigeria, close to the Sahara Desert, and includes a part of Lake Chad. Several hundred years ago most of it, including Bornu proper, was part of the Kanem Empire, which stretched away into what is now French Niger to the North. After a period of splendour the Empire fell apart, and Bornu became heir to its major glories. During the Fulani Jihad, or holy war, Bornu held out against the Fulani horsemen who conquered almost all Northern Nigeria, and so remains to this day a distinctive part of the Northern Region.

Bornu later fell an easy prey, however, to an eastern adventurer called Rabeh, who came from the Egyptian Sudan about

1893, and only when Rabeh was killed by the French in 1900 did it again lift its head. At the same time the Empire was divided, part to the British, part to the French and part to the Germans. The latter part, together with a portion of the Northern Cameroons, is now mandated territory, administered with Northern Nigeria.

Bornu is in savannah country, an area of

these surroundings the people grow guinea corn, millets, ground nuts and cotton, and a mixed collection of minor crops such as beans, onions, peppers and rice where possible. Cultivation is carried out with the hand hoe. Goats, sheep, chickens and the inevitable donkey are everywhere to be found, and nomadic Fulani, Shua Arab and Koyam keep herds of cattle with which they move around in search of water and grazing.

The chief people of Bornu are the Kanuri, who claim not only Arab descent, but to have been the first of three waves of Nigerian peoples who left the country around Mecca when the prophet Mahomet was quarrelling with his uncle. Other main groups are the



In the old days the Galadima was guardian of the Western Approaches to the Kanem empire. The illustrations to this article are from photographs by the

author.



Mandara, very like the Kanuri, and the Shua Arabs, who are said to have been the cavalry of the old Kanem Empire. Interesting and colourful are the numerous pagan peoples of the Northern Cameroons, who were driven into their mountain homes of the Mandara Hills, in the Northern Cameroons, one can make the acquaintance of the many clans of Hill Pagans. On market days they make the journey down the steep paths to take part in the fun of the market. These Hill Pagans are entirely different from



Camels bring in a load of ground nuts to the collecting station, seen in the background on the right.

centuries ago and who are considered by some to have been the original inhabitants of the Province. Smaller groups are found in the smaller Emirates, such as the Bolewa of Fika, and the Burra and Tera of Biu.

The Fulani, who are to be found throughout the North, are one of the mysteries of West Africa. Their origin is uncertain, and they are quite different in appearance, language and customs from any other Nigerian people. Large numbers of them, known as "Town Fulani," are urban dwellers, and most of them have forgotten

their own language, speaking Hausa, Yoruba or whatever is the language of the people amongst whom they have settled. The nomad Fulani, on the other hand, cling to the language and customs of their fathers, and despise their town brothers. These Fulani are dark to copper in colour, with fine features and thin lips. They are extremely tough, and frequently trek hundreds of miles with their cattle, living on blood and milk. Many of them still undergo the traditional whipping before marriage.

In the towns at the foot

anv of the plain dwellers. They are hard workers and good farmers. The land on the hills they occupy is not only poor, but is in constant danger of being washed away by torrential rains. To counter these hazards they have perfected a system of terracing by means of stone walls. In the Mandara hills it has been estimated that there are 20,000 miles of these stone walls, varying from a few inches to some feet in height.

The houses of the people are almost always of mud, round in shape and thatched with dried grasses. In the towns one may see rectangular houses with flat roofs. The Kanuri do not, as a rule, decorate the exterior of their houses, but they do follow the usual custom of putting them into family compounds, ringed around with walls of mud or, more frequently, of guinea corn The Burra of Biu quite often stalks. decorate their houses with designs representing crocodiles and various other figures, despite their present allegiance to



A compound on the shores of Lake Chad. The houses are of straw on stick frames, as mud for building is very scarce here.

the teachings of Islam, which frown on the use of images of man or beast. The crocodiles are reminders of a pagan past, when the people used to worship the sacred crocodiles in Tilla Lake, a crater lake not far from the town.

Where mud is scarce, or where people are very poor, the houses are made of

grasses on a framework of sticks. Thus one sees grass houses in Gubio, a town on the edge of the desert fringe, and in the villages near to Lake Chad. In both these areas mud is as scarce as sand is plentiful, and it cannot be spared for house building, but must be used for potmaking.

The Hill Pagans also build round houses, but these are smaller and closer together, and mingled with their corn stores. Often a stone wall surrounds them, to which may be added a wall of living cacti, set a little further out.


Nowhere, of course, is life more abundant and colourful in Bornu than in the markets. In the

larger towns, such as Maiduguri, the capital, there are permanent markets. But any place of any size has its market day, when everyone for miles around will congregate to buy and sell, to meet friends, and to laugh and chatter.

The market place is like a huge department store, with every commodity in its place. All the corn here; all the pottery there; and all the peppers and so on in their appointed corners. The only real difference is that most things are sold from the ground, or from rough stalls, or from mats and bowls. The latter may be imported enamel, but are more likely to be calabash, which is a vegetable like a large round marrow, split, cleaned and, often, decorated with designs on the outside.

Many commodities are confined to particular classes of people. Thus the butter and milk is in the hands of Fulani and Shua women. Men will sell corn, calabashes, spear-heads, dried fish and so on. The men are also the tailors, working on sewing machines under woven shelters. Women sell peppers, onions, corn and cooked foods. The Shua women do their hair in tight ringlets, and rub it with butter. One can always tell when the butter sellers are near!

As might be expected from their situation and their Arab affinities, the Kanuri and Mandara are wonderful horsemen. Of the many occasions that call for celebration, such as holidays, weddings, Moslem festivals and so on, one spectacle that



A corner in the market of the capital of Bornu, showing calabashes, or gourds, plain and decorated, on sale.


always interested and excited me was the sword dance.

Imagine some important person expecting some equally important guest. For hours before the guest's arrival the host's followers are on parade on heavily caparisoned horses. Singly, or in numbers, the men gallop up to their leader's compound. Women in the entrance carry small branches and Musicians are wave them at the men. pipe-like and instruments, playing drummers maintain an insistent rhythm throughout the noise, dust and yelling, which builds up around them.

Suddenly the tempo changes. The shouting dies. The pipes take on a quieter, sweeter note, the drums a softer voice. The horsemen combine to give effect to the change. No longer wielding their swords as if in real earnest they hold them delicately between fingers and thumb, with ends upraised. Each man sways gently with the rhythm and, at the moment demanded by the music, rises slowly in the saddle and as slowly subsides. This goes on for some moments and then, without warning, the shouting, drumming, waving and yelling is taken up again.

meccanoindex.co.uk

THE MECCANO MAGAZINE



Space Notes

J. Humphries, B.Sc.(Eng.), A.M.I.Mech.E., A.F.R.Ae.S.

Rocket Motors

The gases to drive a rocket motor along are produced by burning a "propellent" mixture in a combustion chamber, and the substances burnt can be either solid or liquid. Although the gases produced are usually similar, solid motors and liquid motors, as they are called, are vastly different in construction.

A solid propellent is often a mixture of a

fuel and an oxygencarrying substance. known as an oxidant. which when ignited will continue to burn until it is all used up. Such a propellent is stored in the combustion chamber. This type of rocket is then very simple in construction. It is just a tube full of propellent, closed at one end and with a nozzle at the other, usually with an electrically-operated igniter rather than the more familiar blue touch-paper.

The liquid motor is a different proposition altogether. Here the fuel — perhaps petrol or kerosene — and the oxidant—maybe liquid oxygen or nitric acid are stored in separate tanks and must be fed into the combustion chamber in a carefully controlled manner in just the right proportions and at the correct rate to give the required thrust. The liquid motor therefore is a complex device of pipes, control valves, injectors and pumps.

This rocket uses propellents at such a vast rate—for the same thrust a rocket uses them at about 15 times the rate that an equivalent turbojet uses fuel—that the choice of method for injecting them into the



In the picture at the top of the page a 100 ft, shock tube is seen. Above is the Oriole, a high altitude research vehicle described on the opposite page. Photograph, Avco Research Laboratory.

combustion chamber is very important. The simplest method is to apply a gas pressure to the tanks, as shown in Fig. 1: this forces the propellents through the control valves into the combustion chamber. The drawback of this system is that the tanks must withstand a high pressure, 400 lb./sq. in. or more, and consequently become very heavy if large quantities of propellent are to be carried. So this arrangement is normally used only for small rockets designed to run for a short time. such as anti-aircraft rockets.

A lighter system used for large rockets, particularly those which have to run for more than about

half a minute, is shown in Fig. 2. Here the propellents are fed by means of pumps and can therefore be stored lightweight unpressurised tanks. in Centrifugal pumps driven by a small turbine and running at high speeds are normally used. The gas for driving the turbine can very conveniently be obtained by decomposing high concentration hydrogen peroxide, which produces a mixture of steam and oxygen at high temperature. This usually means carrying an extra tank of peroxide which makes the motor more complex, and it is now quite common practice to provide a gas generator that uses the main propellents, but burns them in the right ratio to produce a gas at about 500 deg. C. that can conveniently be used to drive the turbine.

Shock Tubes

Some very unconventional methods have been evolved for solving the unconventional problems met with in developing long range missiles and satellites. A very few years ago

was known nothing about the aerodynamics of flight at altitudes above 20 miles and speeds greater than a Mach number of 10. with Experiments conventional wind air tunnels, blowing round by means of a fan, were quite out of the question, but one of the most useful pieces of equipment recently devised these investigating for extreme conditions is the "shock tube" seen in the picture on the opposite page. Nothing could look much less like a conventional wind tunnel.

The shock tube consists basically of a long tube, from one to four inches in diameter, at one end of which is a small pressure chamber known as a

"driver". Pressure can be built up very rapidly in the driver, either by suddenly opening a valve connected to a high pressure gas bottle or by igniting in it a mixture of combustible gases. The driver is separated from the tube by a burster disc which is carefully designed to fail at a given pressure—this can be anything up to 10,000 lb.sq. in. When the disc breaks the high pressure gases rush into the tube, which is filled with a gas at low

pressure, and form a shock wave across the tube.

This shock wave travels down the tube at extremely high speed, with a Mach number of 10 to 25, and is followed by the driver gases. A model placed in the tube is subject to this extremely high speed flow from the time of arrival of the shock wave to the time of arrival of the This duration driver gases. increases with length of tube so that most shock tubes are The one shown is very long. 100 ft. long, but even so the testing time is only 300 millionths of a To make any measuresecond! ments at all during such a short time interval special electronic recording instruments have to be used.

Oriole

One tends to think of upper atmosphere research with rockets as being a very expensive business to be undertaken only by government organisations. In general this is true, but during the past Professor few vears Singer of the S. F. University of Maryland

has developed several small research vehicles propelled by surplus solid propellent rockets which he has

rockets which he has "scrounged" from the armed forces.

The major problem with the smaller research rockets is that their drag compared with their weight is high and consequently they are slowed up very rapidly by the air after the rocket motor has finished firing. In Oriole, the latest product from Maryland, the drag has been reduced by using a very slender vehicle with no fins. It achieves aerodynamic stability because its centre (Cont. on page 406)

Fig. 1 of the second ments at second ments at

Diagrams showing the working of pressurised gas, above, and turbo-pump liquid, below, propellent motors. Photograph, 'University of Maryland.

Fig. 2

Т

EXHAUST

TO ATMOS.

p

P

"The Daylight Express"

Australia's Fastest Train

By H. G. Forsythe

THE Daylight Express provides the fastest ever regular service between Melbourne and Sydney. It covers the 590 miles between the two State capitals in a little over 13 hours, and is now one of Australia's most popular trains. Its modern all-steel, open plan coaches are airconditioned, making them cool and dust free in summer, delightfully warm and snug in winter. Comfortable, aircraft type adjustable reclining seats are fitted. These can even be rotated so that passengers may face in whichever direction they wish.

A public address system is installed and announcements are made when the train two *Daylight Expresses;* one in Victoria, the other in New South Wales.

In New South Wales the gauge is 4 ft. $8\frac{1}{2}$ in. or Standard Gauge, while in Victoria it is 5 ft. 3 in. Through running is impossible, and passengers must change trains at Albury on the border between the two states.

The trains that provide the service look very much alike, but they are painted in different colours and in Victoria there is a lounge-observation car at the rear of the train.

Let us suppose we are on board *The* Daylight one morning as at 8 a.m. the shining royal blue

and gold train, hauled by one of V i c t o r i a n Railways "B" Class 1,750 h.p. diesel-electric locomotives, sets off from Spencer Street Station, Melbourne's main

line terminus. Accelerating rapidly through the suburbs we are soon passing Broadmeadows, north-western terminus of the e x t e n s i y e

suburban electric

services radiating



"The Spirit of Progress" near Kilmore East in the Great Dividing Range on its way to Melbourne. Photograph by courtesy of Victorian Railways.

approaches a station or passes a place of interest. There is a continuous meal service in the buffet car, and a tray service is provided for those who prefer not to leave their seats. In fact, one can obtain ice cream, soft drinks and snacks at any time anywhere on the train. There is also a Train Hostess, whose main duty is to look after the comfort of women and children, particularly mothers with babies, and elderly people.

An interesting point, and one which comes as a surprise to those unfamiliar with the differences in rail gauge in many parts of Australia, is that there are really from Melbourne. Now we are beginning to climb and it is not long before the picturesque gum tree covered slopes of the Great Dividing Range are flashing past the windows. In the first 33 miles, at Heathcote Junction, we have reached an altitude of 1,145 ft. above sea level.

At Mangalore, 68 miles from Melbourne, the double track ends. The main line is single for the next 222 miles to Junee in New South Wales. Special precautions are taken, of course, to prevent head-on collisions, and passing loops are provided at stations, so that trains travelling in opposite directions can pass each other.



The New South Wales section of "The Daylight Express" at speed near Picton, 50 miles from Sydney. Photograph by courtesy of New South Wales Government Railways,

Even an express as important as The Daylight sometimes has to give way to other trains on the single line and at Locksley, a few miles farther on, we draw to a halt to allow Australia's most famous train—The Spirit of Progress—to fly past on its way to Melbourne. This train, introduced in 1937, was the first completely streamlined, air-conditioned, all-steel train in the Southern Hemisphere.


Leaving Locksley after the Spirit has thundered by, The Daylight picks up speed rapidly. From there to Albury the track is ideal for fast running. Although there is an official speed limit of 70 m.p.h., speeds of 75 m.p.h. and over are often reached. At coffee time we rush through Glenrowan, where in the early days the notorious gang of bushrangers led by Ned Kelly made their last stand against the police, and at 11.50 we glide smoothly to a stop at Albury Station.

The New South Wales Daylight Express,

waiting at the other platform, is also dieselhauled. A "42" Class Clyde-General Motors locomotive heads the striking red and yellow This locomotive train. will be in charge for the whole of the 399-mile journey to Sydney, although the crew will be changed at Junee, in the heart of the sheep grazing and wheat growing areas, and again at Goulburn.

The scenery in New South Wales is truly magnificent, but the line passes through very difficult country. The many sharp curves and steep grades make fast running almost impossible. At Bethungra, for instance, which we pass at 2.30, the grade was so steep, 1 in 40, that a special deviation loop had to be constructed to give a compensated grade of 1 in 66 up the hill for trains travelling towards Sydney.

At 6 o'clock we are passing Cullerin in the mountains. This is the highest station on the main line and is 2,395 ft. above sea level. Dusk is falling as we reach Goulburn, near the junction with the main line to Canberra, Australia's Federal Capital. There are still another 137 miles to go, but as the light is now failing we shall have to Wait until we make the return journey to Melbourne to see the pleasant rolling tree covered hills of the Southern Tablelands and the approaches to the great city of Sydney. The time of arrival at Sydney Central Station is 9.25.



"The Sydney Limited," the forerunner of the two famous trains illustrated on these pages, hauled by an "S" Class locomotive, leaving Spencer Street Station, Melbourne.

Russia's Greatest Designer

By John W. R. Taylor

THE townsfolk of San Jacinto, California, received quite a shock on 14th July, 1937, when a huge single-engined monoplane landed near their city and disgorged three airmen who spoke a strange foreign language.

The incident would have created even more alarm today, because the airmen were Russians; but in 1937 most people had sufficient commonsense to recognise a nonstop flight of 6,305 miles from Moscow to San Jacinto as a fine achievement, without

suspecting any warlike motives.

What made the flight of special importance was not merely that it set up a new World Distance Record, but that it was made along the direct "Great Circle" route between the two cities, so that the airmen flew over the Arctic, not far from the North Pole. A few months later, the Russians announced that they were planning a regular airline service over the same route. So, although the war put paid to this plan, our modern Polar services between Europe and North America are

and error. Typical was his method of solving the argument as to whether the slipstream behind a turning propeller expanded or contracted. He simply fixed a small propeller to the shaft of a tiny electric motor, blew cigarette smoke towards it and demonstrated that the stream of smoke contracted to a narrow column behind the propeller. He also built the first Russian wind tunnel in 1910.

After

years later, many of

the country's

foremost designers,

including Igor Sikorsky, fled overseas. Tupolev

stayed on, believing

that the new Russian

more than their

predecessors to

encourage aviation.

With Zhukovsky he

went to see Lenin in

December 1918, and

his hopes were

justified when they

were given permission

to found a properly-

aviation

centre in

leaders might

Revolution

the

seven

do

Like the Wright brothers in America, Zhukovsky believed that the key to progress

lay in tackling problems scientifically rather

than in trying to perfect a design by trial



Andrei Tupolev.

not such a new idea as we sometimes believe.

The aeroplane used for the Moscow-San Jacinto flight was an ANT-25, with a wing span of no less than 111 ft. 6 in. (about the same as a Comet jet-liner), although its single AM-34R engine developed only 860 h.p. The "ANT" designation showed that it was designed by Andrei Nikolayevich Tupolev, who has been designing big and important aeroplanes ever since.

He first became interested in aircraft in 1909, the year in which Bleriot made his famous cross-Channel flight, and had the good fortune to be able to study under Professor Nikolai Zhukovsky, who is known as the father of Russian aviation. Moscow. Work on the centre was started at once, and the result was the now-famous Central Aerodynamics and Hydrodynamics Research Institute (TsAGI).

equipped

research

Since that time, TsAGI has been the training school for Soviet designers, and Tupolev has divided his time between instructing there and working on new aircraft. Several of the foremost Russian designers of the present time began as his pupils, and it is important to remember that modern aircraft bearing the "Tu" designation are not necessarily all designed personally by Tupolev.

Men like Tupolev, Yakovlev and Ilyushin are each in charge of a team of designers who work under their supervision. This

Soviet TB-7 heavy bomber taking off for an air raid on enemy lines during the Second World War. U.S.S.R. Official Photograph.

explains how machines as variedastheYak-25 jet fighter, Y a k - 2 4 helicopter and Yak-18U pistonengined trainer can all be



produced simultaneously, apparently by one designer.

Despite the founding of TsAGI, aviation reached rock bottom in Russia in 1920, when not a single airframe or aero-engine was built. By comparison, a total of 1,769 aircraft had been produced four years earlier, during the war. Nevertheless, the new research centre went quietly to work laying the foundations for future progress; and in 1922 financial and technical help came from an unexpected quarter.

Under the terms of the Treaty of Versailles after the 1914-18 War, Germany was not allowed to build warplanes or even large civil aircraft; so German manufacturers simply transferred their activities to other countries and carried on



business as usual. The Junkers company built a factory at Fili, near Moscow, and one of the men who went to work for them was Andrei Tupolev.

Junkers specialised in all-metal aircraft, at a time when wood and fabric were still the normal aviation materials. It is hardly surprising, therefore, that when Tupolev's own designs began to appear in 1923, they too were of metal construction, often with the corrugated type of skin covering that had been pioneered by the German company.

He came in for a great deal of criticism, because Russia is a land of forests and many people considered that he should make use of wood from these rather than play about with expensive metals of which

> supplies were scarce. Unperturbed, Tupolev went personally to the Kolchugino metal works and organised production of an aluminium alloy called Kolchugalumin, which became the basic material of his aircraft. With one or two exceptions, they were monoplanes from the start, which again reflected both the influence of Junkers and his own foresight.

> First came the ANT-1, a tiny singleseat low wing monoplane with an 18 h.p. Blackburne engine. It was followed by the ANT-2 three-seat high wing monoplane with a 100 h.p. Bristol Lucifer, and the ANT-3 twoseat high-performance biplane with a 450 h.p. Napier Lion. All of these engines were of British manufacture, because in the 1920's Russian designers decided to concentrate their efforts on learning to build efficient civil aircraft, knowing that they could buy all the warplanes and engines they needed from other countries.

The machine which first brought world fame to Tupolev was the ANT-4, a twin-engined long-range monoplane.

Named Land of the Soviets, one of these aircraft flew from Moscow, across the Pacific and the United States, to New York in 1929. The ANT-4 went into service with the first Russian airlines and was followed by the even better ANT-9, a nine-passenger high wing monoplane powered by three 230 h.p. Gnome-Rhone Titan or 365 h.p. Wright Whirlwind engines. With a range of 625 miles at a cruising speed of 125 m.p.h., the ANT-9 was as good as its competitors anywhere in the world, and led to such a rapid increase in air travel that Tupolev was soon busy on even bigger air liners to cope with the traffic.

His ANT-14 of 1931, powered by five 480 h.p. Jupiter engines, was one of the first attempts to produce a large-capacity transport, with seats for a crew of five and 36 passengers. But his next design made even the ANT-14 look small.

It was an age of giant aeroplanes, with designers all over the world trying to outdo each other in sheer size and load-carrying capacity. The pace had been set by the

German Dornier Do-X flying-boat, which weighed 55 tons and could carry 169 passengers. It needed no fewer than twelve engines to lift it off the water. because engine development had lagged behind progress in airframe design and there were no suitable engines of more than 615 h.p. available.

Tupolev also had to plan for twelve engines in his ANT-26, but it


was soon clear that the design was not practicable. The aircraft would have been so big and would have had to carry so much fuel that it would hardly have got off the ground. In any case, most Russian aerodromes were so small that the emphasis had to be—and still is—on aircraft able to take off and land in short distances at comparatively low speeds. This the giant ANT-26 would certainly not have done.

Instead Tupolev produced the ANT-20, with eight 750 h.p. engines, a span of 206 ft. and seats for 60 passengers. Although the

biggest landplane flown up to that time, it was far more practical than the ANT-26. Named the *Maxim Gorki*, it was the pride of the Russian aircraft industry until one day in 1935 when it collided with another aeroplane in mid-air and crashed, with heavy loss of life.

After that, Tupolev seemed to draw inspiration from America and Britain rather than Germany; because his ANT-35 of 1936 recognised the start of a new era of faster, more comfortable air travel. It was a twinengined monoplane with retractable undercarriage, rather like a small Dakota in general appearance and able to carry ten passengers at 220 m.p.h. This was extremely good at the time, and the ANT-35 became a mainstay of the Soviet airline Aeroflot until the war interrupted airline progress.

Tupolev designs played a smaller part than might have been expected in what is known in Russia as the Great Patriotic War of 1941-45. In the 1930's his big TB-3 four-motor monoplane bomber was standard



The Tu-114 four-turboprop air liner, by far the heaviest aeroplane ever flown. It can seat up to 220 passengers.

equipment in the Soviet Air Force, and it was followed by the TB-7, with four 1,100-1,300 h.p. engines, retractable undercarriage and top speed of 260-280 m.p.h.

The TB-7 was larger than the British Lancaster and Halifax and was of quite advanced design; but the Soviet Air Force believed in using bombers in support of the armies on the ground rather than for strategic bombing, so it had little opportunity to distinguish itself. In any case, Tupolev became a victim of one of the Stalin "purges" and fell from favour, to the extent that when a (Cont. on page 406)



Life-Boat Story

By the Editor


 $E_{\rm VERY}$ year the Royal National Life-boat Institution publishes a report that should be read by all who have safety at sea in their hearts. It includes accounts of rescues, often exciting and dramatic, which show that no effort is spared by the life-boat crews, all of them volunteers, in the interests of those in peril on the sea.

The 1958 issue of this annual production traces the story of the service since the war. During hostilities the crews had to face the dangers of enemy action as well as the normal hardships of life-boat service, but in spite of these troubles they rescued the astonishing number of 6,376 lives; and this figure does not include the 3,400 men brought from Dunkirk by the Ramsgate and Margate life-boats manned by their regular crews, or the thousands of others taken off the beaches there by life-boats in charge of naval ratings.

Since the war the service has been provided with many new boats and better facilities for rescue work, and in fact more and more calls have been made on the service year by year since the war ended. The increase indeed began before the war, for there were 269 life-boat launches in 1926 and 468 ten years later. In 1946 there were 631 launches and by 1956 the number had risen as high as 745. There are several reasons for the increase. The most important single factor is probably the introduction of radio telephony into seagoing craft of all kinds, which has meant that more distress signals have reached the life-boat stations. Other causes have been the growing popularity of yachting and the steady increase in the number of holidaymakers who put to sea in unsuitable craft. Many more aircraft too have found themselves in need of help.

The selection of famous life-boat rescues given in *The Story of the Life-Boat* is of absorbing interest, and the picture on this page is from a photograph taken in 1956, when the Lizard and Coverack life-boats went to the rescue of the motor vessel *Citrine*, which was in danger near the Lizard. The former is seen on its return from service with men rescued from the *Citrine*. The Coverack life-boat saved the others, and Acting Coxswain Carey of that vessel was awarded the Institution's Bronze Medal.

Copies of the booklet can be obtained from The Royal National Life-Boat Institution, 42 Grosvenor Gardens, London S.W.1., or from any of the Institution's branches or life-boat stations, price 1/6.



No. 46239 "City of Chester" distinguished by a striking headboard leaves Glasgow Central for Euston with "The Caledonian". Photograph by G. H. Robin.

Railway Notes

By R. A. H. Weight

Aboard "The Caledonian"

With the introduction of an extra train each way on the Caladonian high-speed service on ordinary weekdays 'twixt London and Glasgow, this summer sees the finest-ever Anglo-Scottish express service operating to and from Euston and King's Cross over the West and East Coast routes. I have recently described journeys over the latter in the Talisman, Fair Maid, Flying Scotsman, etc.

Recently it was a pleasure to be able to travel most comfortably with excellent interior service on the 4.15 p.m. from Euston, one of the original *Caledonians* introduced in 1957. This calls only at Carlisle and is timed to cover the $401\frac{1}{2}$ miles each way between Euston and Glasgow (Central) in 400 min., having by a a small margin the fastest overall schedule by either route to-day.

The engine was 8P No. 46239 *City of Chester* (figuring in my first illustration this month) stationed at and ably manned by Camden Driver A. Bassett with Fireman B, Young. The usual handsome 8-coach train weighed about 285 tons inclusive.

After leaving Euston we were soon improving on the fast schedule, passing Crewe at 6.37 p.m., 158 miles in 142 min., and covering 134 miles in the first two hours with lively uphill work and a maximum of 87 m.p.h.

There was only one signal check, before Lichfield, but there were four slowings due to permanent way repairs and so on, which caused a slight lateness to develop around Carnforth. After this came the first part of the steep climb to Shap among the Lakeland Fells, but the slight loss was quickly regained, the summit being passed at 38 m.p.h. after a 4-mile climb at 1 in 75. There followed speeds up to 94 m.p.h., in perfect steadiness, beyond Penrith bringing the *Caledoniam* into Carlise, stop, at 9.2 p.m., 34 min. early, or 299 miles in 2874 min. overall—a fine effort! A fresh crew took the engine and train on to Glasgow, but I was not able to proceed into Scotland this time.

Hundreds of 8F L.M.R. 2-8-0s

In 1935, on what was then the L.M.S. Railway a new series of Stanierdesigned 2-8-0s entered service for heavy freight haulage, up to that time largely handled by 0-8-0 or 0-6-0 engines. were numbered They from 8000 upwards and came to be known generally as the 8F class. They are powerful locomotives, having two outside cylinders actuated by Walschaerts gear in the usual way nowadays; the tapered boiler is pressed to 225 lb. per sq. in., and the engines are capable of running over a large proportion of main and

secondary lines, because of their dimensions.

During the last great war the type was selected for large-scale construction on Government account for military service overseas as well as on home railways. Building was carried out at Crewe, Horwich, Doncaster, Darlington, Swindon, Brighton, Eastleigh and Ashford railway works, as well as by Beyer, Peacock & Co. Ltd., and the North British Locomotive Company, Glasgow, at various times, so that by 1945 there were over 500 examples scattered over a wide area.

To-day there are well over 600, numbered between 48000 and 48775, stationed at ex-LM.S. depots or those from which L.M.R. locomotives are operated. They may be seen, for instance, all the way from Willesden and London yards to Carlisle; from Cricklewood over the Midland Division to Hellifield, and beyond; on the Cheshire Linnes; Shrewsbury to Pontypool Road, Swansea (Victoria) in Wales; on through freight transfer trains to S.R. yards in S. London, and elsewhere; appearing sometimes on passenger, parcels or perishable produce trains. Some carty a five-pointed white star painted on the cabside indicating that the wheels have been balanced to render them suitable for hauling fast, braked freight trains.

Locomotives in the News

New steam class 9 2-10-0s were recently completed and allocated as follows: No. 92192, 36A, Doncaster; No. 92167, 21A, Saltley, Birmingham. Nos. 92190-1 mentioned last month have now gone to Doncaster. Of diesel-electric types, additions include: main line 2,000 h.p., Nos. D202-4; Brush 1,250 h.p., Nos. D5509-10; all to 30A, Stratford. Bo-Bo 800 h.p., No. D8205, 1D, Devons Road, London: Six-wheeled shunting locomotives, Nos. D3432-4, 87B, Duffryn Yard, S. Wales; Nos. D3492-4, 31B, March; Nos. D3507-6, 82B, St. Philip's Marsh, Bristol; D3509-14, 83D, Laira, Plymouth; Nos. D3656-8, 55B, Stourton, near Leeds.

Diesel-mechanical 200 h.p. shunting type, No. D2019, 34D ,Hitchin; Nos. D2020-2, 40B, Immingham, Lincs., Diesel-hydrauluc, 4-wheeled, Nos. D2902-3, 1D, Devons Road.

1D, Devons Road, For the 3 ft. gauge lines at the Beeston Creosote Works, Notts., an 0-2-2-0 diesel-mechanical small locomotive has been added to stock numbered in service stock, ED10.

Around the G.E. Line, E.R.

During recent travels over a circular ro_te from London to Norwich and back, my interesting

observations included the very clean green No. 61670 *City of London* (at one time one of the two streamlined B17 4-6-0s) bringing in the smart maroon 8-coach *Scandinavian* to load for Harwich at Liverpool Street, where the beautifully turnedout little carriage pilot engine, J69 0-6-0T No. 68619, was another subject for admiration.

The 2.24 p.m. down via Cambridge was hauled by 4-6-2 No. 70034 Thomas Hardy, which did well between stops when opportunity offered but had to run carefully on the "wrong" up, track between Roydon and Burnt Mill as the down line was occupied by clever poweroperated apparatus mounted on wagons for boring holes, mixing cement, erecting and fixing masts in readiness for forthcoming electrification on the overhead principle from London to Bishops Stortford.

Later in the day I rode behind another Britannia, Cœur-de-Lion, from Ely to

Cauv-de-Lion, from Ely to Norwich. Both local and stopping main line diesel services are much in evidence around East Anglia and appeared to be doing well. Diesel-electric locomotives are taking over many of the London express or other through passenger workings, as well as some of the fast freights, as indicated by my report of a good *East Anglian* run last month and by one of our present illustrations. Britannia Pacifics have taken charge of some of the accelerated Liverpool Street-Clacton trains.

I was pleased, however, to see many ex-Great Eastern Railway locomotives on country services, through London portions north of Ely, Norwich or Ipswich, etc., including Claud Hamilton, D16, 4–4–0s; B12 4–6–0s; both in rebuilt form; also various 0–6–0s. Among newer classes, the L.N.E.R. Sandringhams share all sorts of duties. I noted one on a Cambridge– Colchester branch train such as worked for many years by E4 2–4–0s, of which class No. 62785 is at present the sole survivor. These useful little engines began to appear in 1891 and were built until 1902, the total number then being 100.



A little old engine, ex-Great Eastern 2-4-0 No. 62797, with a train in an appropriate Fast Anglian setting. This one of the last survivors of a once numerous class is shown leaving Sudbury on a Cambridge-Colchester train. The photographs on this page are by G. R. Mortimer,

A Miscellany of Developments

Overnight facilities for motorists including inclusive, charges for conveyance of cars in covered vans, and passengers, who travel in some cases on the same special train by sleeping car or ordinary coach, saving long drives to holiday areas, have been extended this summer and apply between London and other centres in England and Scotland; from Scottish stations or north of England to Eastbourne, or Dover for the Continent; between Paddington or Waterloo-Devon-Cornwall, with other opportunities.

Cornwall, with other opportunities. Seven-day 'rover' tickets available over practically their whole territory are being issued by each of the British Regions until the end of October at very moderate charges offering enormous possibilities for travel, exploration and observation.

Electronic computers, believed to be the first of their kind, are being tried with apparent success in connection with L.M.R. and E.R. timetable revision, making allowance for many factors involved such as track occupation facilities, loop lincs, junctions, priorities, and so on,

> B.R. Locomotive Testing Bulletin No. 19

This Bulletin gives details of special performance and efficiency tests carried out over the difficult Midland route between Carlisle and Skipton, with the *Dellic* diesel electric locomotive built by the English Electric Company in 1955 that has been in service on British Railways for an extended trial period. Engineers or students will find the numerous tables and graphs relating to performance worthy of study. It is clear that the *Dellic* performed very well during these tests.

Copies of the Bulletin may be obtained from the Chief Publicity Officer, British Transport Commission, Room 268, 222 Marylebone Road, London N.W.1., price 10/post free,



Brush diesel-electric No. D5500 makes a striking contrast in motive power with the steam 2-4-0 in the upper illustration. It is crossing Manningtree South Viaduct with a Liverpool St.-Norwich train.

Air News

By John W. R. Taylor

MANNED SATELLITE

No aircraft in history has been designed to Avo arreat in history has been designed to do such a fantastic job as the North American X-15 research monoplane, illustrated on this page. Its bullet-shaped fuselage houses a Reaction Motors XLR-99 Pioneer liquid-fuel rocket engine developing no less than 60,000 lb. of thrust, which is about four times the power given by the Curtiss-Wright rocket that pushed the Bell X-2 to over 2,100 m.p.h. in 1956.

Although its design looks quite orthodox, the X-15 embodies countless new and advanced idea. For example, the trailing-edges of the upper and lower tail-fins are square-cut and 12 in. wide, and the razor-thin wings contain tiny rocket-jets that will help to control the aircraft when it climbs beyond the effective atmosphere.

The X-15 is, in fact, designed to fly at speeds of 3,500 to 4,500 m.p.h. and at heights up to 100 miles. Later, it may even become the first man-carrying satellite, because there are plans to fire it to a height of about 20 miles with the aid of a large missile-type booster rocket, after


which its own engine would probably carry it far enough and fast enough to enter a satellite orbit around the Earth. The biggest problem to be solved is to get the aircraft and pilot back safely to the ground afterwards, without their burning up through friction with the atmosphere as did the Russian Sputniks I and II.

A MIGHTY MISSILE

If the X-15 is launched successfully into orbit, it will probably be carried on the first part of its journey by



An artist's impression of the North American X-15 research aircraft described on this page. It is designed to fly at speeds of 3,500 to 4,500 miles per hour and at heights up to 100 miles.



North American XSM-64 Navaho missile in flight at U.S.A.F. Cape Canaveral test site, in Florida. The picture shows the booster with missile riding piggy back.

a booster rocket of the type developed for the North

American Navaho missile, illustrated above. Intended originally to carry an H-bomb warhead over a range of 2,500 miles at 2,300 m.p.h., the ramjetpowered Navaho has now been dropped from the U.S. missile programme. But many of its components and techniques are being used for even-more-advanced projects.

U.N.O. EMBLEM IN THE AIR

The light blue emblem of the United Nations, showing the world framed by olive branches, will soon be seen in the air, painted on all the aircraft aircraft operated by United Air Lines.

The idea was started by one of this company's pilots, Capt. Charles Dent, after he had been awarded a \$5,500 bonus for making a superb belly-landing with an air liner full of passengers following an undercarriage failure. He donated the money to the United Nations, with the suggestion that it be used to put across the idea of painting the Organisation's emblem on air liners, to remind people all over the world of the necessity for international co-operation.

Already, other airlines have said that they will follow the lead of United Air Lines.

GNATS IN THE NEWS

A few months ago the Air Ministry placed an initial production order for 14 Folland Gnat two-seat trainers, to give R.A.F. pupil pilots experience in flying at transonic speed. Now



it has been announced that the R.A.F. is to try out the single-seat fighter version of this aggressive little aeroplane in Aden, to see if it would form a suitable replacement for the Venom for ground-attack duties.

It has been obvious for a long time that such an aeroplane would be needed, because local campaigns and "police" actions of the kind we have fought since the war in Malaya, Kenya and Aden are far more likely than a major war. Huge, fast, powerful fighters like the English Electric P.1B are no good for this work, which demands a simple machine able to operate from rough airfields with a minimum of maintenance.

So, at last, it looks as if the R.A.F. may follow the example of Finland and India, and order the Gnat for first-line duties. The above picture shows an Indian Air Force Gnat, armed with two 30 mm. Aden cannon and fitted with radar-ranging in its pointed nose. For ground attack duties, the guns and underwing fuel tanks are retained, together with two 500 lb. bombs or an equivalent weight of rockets.

NEW WORLD RECORDS

Lockheed F-104 Starfighters of the U.S.A.F. Air Defense Command achieved the remarkable feat of breaking both the world air speed record and the aeroplane height record within ten days of each other

in May of this year. First to fall, on 7th May, was the height record, when Major Howard Johnson climbed to 91,249 ft. (over 17 miles) over Palmdale Air Force Base, California. Then, on the 16th, Capt. Walter Irwin took off from the same

airfield to achieve average of an 1,404.19 m.p.h. in two runs over a course, measured during one of which he clocked over 1,500 m.p.h. at times.

In each case, the F-104 was flown with its full operational equipment installed, and on the power of its normal General Electric J79 turbojet with reheat.

Douglas DC-8 four-jet air-liner being towed from the assembly shop.

maiden flight on 30th May last.


In general appearance it is very similar to the Boeing 707, and offers the same choice of Pratt and Whitney JT3 or JT4, or Rolls-Royce Conway turbo-jets.

173 or 174, or Rolls-Royce Conway turbo-jets. The first DC-8, like the first 707, is a short-range model, powered by four 173's. With tanks for 14,205 gall. of fuel in its wings, it will carry 118-176 passengers for nearly 5,000 miles at 561 m.p.h. All versions are the same size, with a span of 139 ft. 8 in., and length of 150 ft. 6 in.; but whereas the short-range model has a loaded weight of 265,000 lb., the intercontinental versions will weigh 287,500 lb. and carry enough fuel for a range of up to 6,000 miles.

COMET'S 41-HOUR CANADA-U.K. FLIGHT

One of B.O.A.C.'s experimental Comet 2E's, on a coutine transatlantic training flight, arrived at London Airport in the early hours of Tuesday, 13th May last, having left Gander, Newfoundland, only 4 hr. 33 min. earlier. Average speed for the 2,400-mile flight was 530 m.p.h.

The Comet had left London at lunchtime on the previous day, and its flying time for the 5,100-mile round trip was 11 hr. 24 min. On the westward flight. it made a scheduled stop in Iceland; and it is an open secret that B.O.A.C. is considering the possibility of score that BOAAC is considering the possibility of opening a transatlantic service next year with its Comet 4's. Although they would need to land in Iceland to refuel, they would still link London and New York much faster than any other aircraft except the Boeing 707-120's of Pan American.



375

One of several Folland Gnat single-seat fighters ordered by the Indian Air photo-Force, graphed during a test flight. Illustration by courtesy of The Bristol Aeroplane Company Limited.

THE **DOUGLAS DC-9**

The second of America's two giant four-jet air liners, the Douglas DC-8, made its

Slow Boat Home

By Bernard Llewellyn

THERE is an intimacy about travelling on a freighter that the big passenger liners cannot rival. On the big ships, which take two to three weeks to reach London from India, you can discover—even at the end of the voyage—new faces among the passengers. On the freighters you get to know everybody—even the ship's cat and the Captain's canary—in a few hours.

It is not easy to get a passage by cargo steamer. These boats seldom carry more



The motor life-boat of the "Chinkoa" has a trial run. The illustrations to this article are from photographs by the author.

than a dozen people in, say, eight cabins, and they are booked up well in advance. Thus I was extremely lucky in Calcutta last year to get a passage aboard the British India freighter m.v. *Chinkoa* at only two days' notice. There had been a last-minute cancellation; my ten fellow-passengers had booked at least a year ahead.

The *Chinkoa* was a new boat with a gross tonnage of just over 7,000. Her black upswept prow towered above the hot tin roofs of the Calcutta Customs sheds as I drove up to the Docks. In the sheds I stood with the others, waiting to board the vessel that would be our home for nearly two months.

It was a comfortable home. The cabins, whether they were single or double-berthed,

all had private bathrooms and toilets. There was a small lounge on the deck above the dining saloon and a well-stocked library. And on the deck, to port and starboard of Number 3 Hatch, there was room enough for our deck-chairs at the rail.

One quickly gets into the lazy routine of life aboard ship. On the smaller boats there are none of the "organised games", dances, and fancy dress parties of the liners. Books and conversation with crew and fellow

passengers take up the hours, with a moon to watch at night and porpoises and flying fish by day. On the liners the Captain is as remote as the gods; on our freighter we were invited into his cabin and went fishing with him during idle days off-shore.

There were many such idle days, and I soon discovered how much of a freighter's time is spent hanging about outside ports, waiting for a berth to be vacated or the harbour pilot to come aboard. At some ports, such as Colombo, dock labourers took their time while the ship's

officers raged impotently about the decks. They contrasted with the Sudanese "Fuzzy Wuzzies" we met later at Port Sudan, who moved huge bales of cotton into our hold at a steady rate.

Our first halt after Calcutta was half-way down the east coast of India at Vizagapatam, a small port where the ships of India's Scindia Line are built. There we waited three days off a white sandy shore where fishermen, burnt black by the sun, launched their buoyant fishing boats in the tumbling surf. These are curious boats, as I saw for myself when we finally went ashore, for they are made without nails or bolts, the planks being sewn together with a thread woven from the fibre of coconut husks.

meccanomuex.co.uk

THE MECCANO MAGAZINE

We were two days at Vizagapatam loading manganese ore; and as the huge iron buckets, each capable of holding up to two tons, were tipped to discharge their contents into the holds, a reddish dust hung over the deck, and the passengers who stayed aboard retired to cabin or lounge.


While we were there, the *Chinkoa* was rerouted. We had expected to be going round the Cape, but a wireless message from the owners now told us we would be returning via Suez. As this meant we should be calling at

more ports and seeing rather less empty sea, we were pleased at the news.

The bright stars of the Southern Cross kept us company down to Colombo. For ten days we remained anchored in the great harbour there, making frequent trips ashore in launches and using the ship as our hotel. From the deck we watched great passenger liners like the *Oranje* and the



Loading cotton at Port Sudan.



The British-India liner "Okhla", seen from the deck of the cargo boat on which the author made the voyage here described.

P. & O. *Canton* come in for brief stopovers. The Bank Line *Inchanga* arrived en route from Africa. We seemed to be at the crossroads. Every morning when we came on deck a change had taken place in the pattern about us, but a hard core of loading or off-loading freighters remained.

One morning the *Ob* arrived—a Russian ice-breaker loaded with scientists on their way home from the Antarctic.

I spent an evening ashore with the Chief Engineer. He was chafing at the delay in the harbour. Yet he had been on slower ships. "In the old days", he said, "we used to stop at some thirty miserable ports between Calcutta and Bombay. That was really something to complain about." But there did come a day when the last of the tea chests was swung up from the lighters, and that evening the pilot came aboard to take us out through the narrow harbour entrance. The lights of Colombo's Galle Face Hotel came on as we stood out to sea.

We had no bad weather on the trip. The nearest we came to it were the blustery winds and choppy seas into which we headed between the southern tip of India and the Gulf of Aden. We rolled and pitched for a couple of nights, and the ladies aboard were glad we were not heading towards Durban, where the radio spoke of very bad weather. By the time we sighted the African coast the winds had dropped.

Oil is cheap at Aden and the *Chinkoa* was to take on eleven hundred tons. We were meeting ships again and the night we were running into Aden three freighters to starboard were winking at us with their Aldis lamps.

Aden is a duty-free port, and passengers on their way to and from the East have a chance to buy cameras, watches, clothes, etc., at rock-bottom prices. The ladies especially had been looking forward to going ashore. But the refuelling took far less time than the Captain had thought, and we did Instead, the bum-boats came not land. out to the ship laden with all sorts of oddments from nylon shirts to Japanese tea sets. The goods were hauled over the ship's side in straw baskets, and bargaining went on until the Chinkoa's anchor was raised and we were away again, bound for the ports of the Red Sea.

The next two ports of call, Massawa and Port Sudan, in the Red Sea, were extras. The orders had come over the radio while we were in the Indian Ocean. The Captain had not been to Massawa before, and the chart showed a coastline studded with tiny coral reefs and islands. He slowed down so that he would arrive in davlight.

The shores of the Red Sea are fascinating.

Inside the green coral reefs the almost transparent water forms a vast aquarium for tropical fish. They are of every colour imaginable and shoals of them darted about the sunlit shallows. Massawa has the reputation of being the hottest town in the It was once world. simply an Arab dhow harbour, but the Italians made it into a considerable port which they used to develop Eritrea. Today a few Italian shops supplement the Arab quarter, where sandy courtyards and


old mosques have a special charm in the moonlight.

Waiting off Port Sudan, we spent the days fishing with rod and line, catching eight to ten pounders over the stern with hooks coated with pellets of bread. From time to time we saw the fins of a shark; but when I went shark-fishing in the ship's boat with some of the crew, trailing a huge butcher's hook and hunk of raw meat astern, I was glad enough that the sharks kept out of our way. Ashore there was a scruffy Arab bazaar and some scrawny camels. Most of the Arabs I saw went about in long white "nightshirts", while the closer I got to the Fuzzy Wuzzies the more unnatural their heads of woolly curls seemed to be.

On the way up to Suez, great convoys of empty oil tankers came towards us on their way to Abadan. In one long day, piloted by two young Germans, we passed through the Canal. We did not stop at Port Said; but sailed on down the length of the breakwater into the Mediterranean.

A huge power cable today spans the strait between Sicily and the toe of Italy, sagging between two giant pylons. We passed beneath it, heading for the volcanic isle of Stromboli and the coast at Genoa. Now we were properly in Europe. While the ship off-loaded cargo in the shadow of Genoa's tall lighthouse, we passengers made a car trip along the Italian Riviera to Rapallo and Portofino in a couple of old Alfa-Romeos.

There was still nine days to go to Tilbury, with an intermediate stop at Marseilles; and we spent them getting used to the idea of living in England again. For nearly two months we had happily whiled away the



The harbour at Port Sudan.

time on this slow boat home. It seemed highly probable that none of us would have such a time again!

Railway Owned by a City—(continued from page 389) vicinity of Fazackerley, near Kirkby. It seems probable that the latter place was chosen for the factory estate as it had plenty of open land available and is situated conveniently near a main highway as well as a railway line. It is also conveniently close to the docks. Today, the Estate, now the Kirkby Urban District,

Today, the Estate, now the Kirkby Urban District, is still expanding and new factories are being built from time to time giving employment to many thousands of people. The place of the railway in this scheme of things seems firmly assured.

MECCANO MAGAZINE



THE picture reproduced above reached me from Nigeria, and is the work of Mrs. E. Waterfield, A.I.B.P., who thought I might be interested in including it in the Magazine. I certainly was, and here it is for you to see.

The two boys seen in the picture are at the Zaria Government College, and are members of a class in which Meccano models

were being built as part of their instruction. What I liked about the picture was the obvious concentration of the two boys on their model-The one on building. the left has actually reached the stage of turning the handle of his model to make sure that it will work. I am quite sure that when he had completed this trial any doubt he may have had would have disappeared and a smile of triumph would have followed.

A sign for the blind in a Reading Memorial Garden. Photograph by H. L. Gilbert Heath.


Junior Section

Braille in the Gardens

Can you read Braille? If you can, then I suppose you will have no difficulty in recognising that the Braille characters seen in the lower picture on this page represent the word "Wallflower". If you cannot, there is of course the word alongside to help you!

The picture is evidence of a kindly thought, It shows a sign

in the King George V Memorial Gardens in Reading, one section of which is raised in rockery fashion to about waist height, and the plants in it carry notices like the one seen in the picture for the benefit of those who cannot see the signs. These are of copper strip nailed to teak T-piece labels. They were originated by the Corporation and the Inner Wheel Club of the borough.



Easy Model-Building "Spanner's" Special Section for Juniors A Derrick Crane and a Tramcar

THE two new models I have for you this month are a workable Derrick Crane that can be built from parts in an Outfit No. 0, and a Trancar that requires parts in an Outfit No. 3.

The Derrick Crane is shown in Fig. 3, and you should start building it by assembling the vertical or king post that supports the jib. For this you require two $2\frac{1}{2}'' \times \frac{1}{2}''$ Double Angle Strips 1 and 2

connected by a $2\frac{1}{2}$ " Strip.




Fig. 1. A small but sturdy model Tramcar that is easy to build.

Pass a $\frac{3}{2}''$ Bolt through the lower lug of Double Angle Strip I and also through the holes at the pointed ends of two Trunnions 3. Fix the parts tightly on the Bolt with a nut and then pass the Bolt through a $5\frac{1}{2}'' \times 2\frac{1}{2}''$ Flanged Plate and secure it in place with lock-nuts.

Push a $3\frac{1}{2}$ " Rod through the lugs of Double Angle Strip 2 and through a Fishplate 4, and use a 1" Pulley and a Spring Clip to hold the Rod in place. Now bolt two Angle Brackets to Fishplate 4, and to each of them attach a $5\frac{1}{2}''$ Strip. The next thing is to connect the lower ends of the $5\frac{1}{2}''$ Strips to $2\frac{1}{2}''$ Stepped Curved Strips bolted to the Flanged Plate. You should also use the bolts securing the Curved Strips to attach two Trunnions to the Flanged Plate as shown in the illustration.

The next thing to do is to make the jib. Bolt a $5\frac{1}{2}''$ Strip to each of the Trunnions 3 and connect the upper ends of the Strips together by means of a $\frac{3}{4}''$ Bolt 5. Support the jib by a piece of cord tied between the Strips and Double Angle Strip 2. Pass a Crank Handle through the Flat Trunnion at the rear of the Flanged Plate and use a

1" Pulley and a Bush Wheel to hold it in place. Tie a length of cord to the Crank Handle, pass it through a hole in the 2¹/₂" Strip of the jib post and take it over the Bolt 5. Finally tie it to an Angle Bracket to form a load hook.

Tramcar

Construction of the model Tramcar should be commenced by bolting a $4\frac{1}{2}'' \times 2\frac{1}{2}''$ Flexible plate to each side of a $5\frac{1}{2}'' \times 2\frac{1}{2}''$ Flanged Plate, in the positions shown in Fig. 1. The driving compartment at each end is formed by

bending a $5\frac{1}{2}'' \times 1\frac{1}{2}''$ Flexible Plate

and then bolting it to the Flanged Plate. Eight $2\frac{1}{2}$ " Strips are bolted to the sides as shown in the illustration, and are connected at their upper ends by a built-up strip consisting of two $5\frac{1}{2}$ " Strips overlapped seven holes. The ends of these built-up strips are joined by $2\frac{1}{2}$ " $\times \frac{1}{2}$ " Double Angle Strips 1.

The roof consists of two Semi-Circular Plates, a $5\frac{1}{2}'' \times 2\frac{1}{2}''$ and a $2\frac{1}{2}''$ Flexible Plate, which are bolted together and fixed to the Double Angle Strip 1. A 3" Formed Slotted Strip is attached to each Semi-Circular Plate by a $\frac{1}{2}'' \times \frac{1}{2}''$ Angle Bracket.

The trolley pole is represented by a 4'' Rod held in a Stepped Bent Strip 2 lock-nutted to $\frac{1}{2}'' \times \frac{1}{2}''$ Angle Brackets 3. The Rod is held in place by a Spring Clip and a Cord Anchoring Spring.

The tram runs on four 1" Pulleys fixed on 31 Rods. Each Rod is journalled in a Flat Trunnion 4 and a Trunnion, and is held in place by Spring Clips. The control handles at each driving position are formed by 3" Bolts in Fishplates fastened to the $5\frac{1}{2}'' \times 1\frac{1}{2}''$ Flexible Plates by Angle Brackets. The headlamps consist of $\frac{3}{4}$ " Washers, and the bumpers are represented by 3" Formed Slotted Strips fixed in place by Fishplates.

A Skittle Game

An amusing skittle game is shown in Fig. 2. The base of this is made from two $5\frac{1}{2}'' \times 2\frac{1}{2}''$ Flanged Plates 1 bolted together by their longer flanges. The striker 2 is a

Worm suspended by a length of Cord from a vertical 1112" Axle Rod 3. This Rod is mounted on the base with a Bush Wheel and a 3" Flanged Wheel 4, and the Cord is attached to a Fishplate 5 mounted between two Collars and Washers at the top of the Each of the five skittles is made Rod. from a 2" Rod, a Handrail Coupling and a Collar, and these are assembled as shown in the illustration, with the Collar forming the base of the skittle.

The game of skittles is played by two people, all the skittles are given numbers and each competitor tries to down more knock skittles than his opponent and so score more points. An interesting and amusing variation can be introduced as follows. If after three tries a competitor knocks all the skittles down at one swing of the striker, he may choose to have another swing, or to rely on his original score. If he

Fig. 2. This Skittle Game will provide its builder and his friends

with lots of fun.

3.

takes the fourth swing and his resulting score does not exceed the number he scored with his first swing, his original total score does not count.

Parts required to build the Tramcar: 6 of No. 2; 9 of No. 5; 4 of No. 10; 1 of No. 11; 5 of No. 12; 1 of No. 15b; 2 of No. 16: 4 of No. 22; 1 of No. 23; 5 of No. 35; 50 of No. 37; 6 of No. 37a; 4 of No. 38; 1 of No. 44; 2 of No. 48a; 1 of No. 52; 6 of No. 111c; 2 of No. 126; 2 of No. 126a; 1 of No. 176; 1 of No. 188; 2 of No. 189; 2 of No. 191; 1 of No. 192; 1 of No. 212; 2 of No. 214; 4 of No. 215; 2 of No. 217b.

> Parts required to build the Derrick Crane: 4 of No. 2; 1 of No. 5; 1 of No. 10; 3 of No. 12; 1 of No. 16; 1 of No. 19s; 2 of No. 22; 1 of No. 24; 1 of No. 35; 21 of No. 37a; 15 of No. 37b; 2 of No. 48a; 1 of No. 52; 2 of No. 90a; 2 of No. 111c; 2 of No. 126; 2 of No. 126a.

> > 2

Parts required for the Skittle Game: 1 of No. 10; 1 of No. 13; 5 of No. 17; 1 of No. 20b; 1 of No. 24; 1 of No. 32; 3 of No. 37; 2 of No. 52; 7 of No. 59; 5 of No. 136a.

Fig. 3. Outfit No. 0 contains all the parts needed to build this workto able Derrick Crane.

381



JOW every Dinky Toys enthusiast can have a Dinky Tovs Collector's Licence, which in the Dinky Toys world is equivalent to the driving Licences of real motorists. All that he has to do to obtain his licence for the current year is to write for it to the Secretary of the Club at Binns Road, Liverpool 13.

The Dinky Toys Collector's Licence is the same size as a motor car driver's licence, so that holders will be able to carry them in their pockets. ready for use at any time. Each has a printed Registration Number, with space on the inside front cover for the holder's name and address. It becomes valid when he adds his



The cover of the Dinky Toys Collector's Licence for 1958-9 looks like this, but is in an attractive colour. It is something that every Dinky Toys owner must have.

signature. New Licences are to be issued annually, and those now current will be due for renewal on 1st July, 1959.

When you get your Licence you will find that besides giving you official standing as a Dinky Toys collector, it has inside a list of the Dinky Toys current at the beginning of the licensing year, with space in which to write the date when each Dinky Toy in your collection has been obtained. Room is left also for writing in the numbers and names of Dinky Toys issued during the licensing year. So the document is not only a licence. In addition it is a registration book in which you will have a record of your collection, and this can easily be brought up to



A busy scene with the new Dinky Toys Hudson Hornet and Hillman Minx cars, with glazed windows, in a realistic and easy-to-arrange garage setting.



The new Hillman Minx (Dinky Toys No. 175).

date with every new acquisition.

Here indeed is something exciting for Dinky Toys owners, every one of whom should write for a Licence at once. It will be great fun to keep track of your Dinky Toys with it, and you will thoroughly enjoy comparing your records with those of your friends. And don't forget—whenever you write to me quote your Registration Number at the head of your letter. You will find it at the top of the inside cover page.

find it at the top of the inside cover page. Another point. Licences are issued to all Dinky Toys owners, whether they are members of the Dinky Toys Club or not. Every new member of the Club from now on will automatically be granted his Licence when he is enrolled. Look out for a special announcement next month!

Now let us see what is new *this* month. There are two more private cars, each fitted with glazed windows and windscreens, Dinky Toys No. 174 Hudson Hornet, and Dinky Toys No. 175, Hillman Minx.

An earlier version of the latter car is already known to Dinky Toys collectors. The new Hillman Minx is a very pleasing and attractive model, and in view of the large number of real

Hillmans that are to be seen on the roads today, it is sure to be a great favourite in both of its attractive 2-tone colour schemes. In one the lower half of the body is grey and the upper half blue, while the wheel hubs are blue and the radiator grille, bumpers, etc., are finished in aluminium. In the second the lower half of the body is finished stone colour and the upper half bright green. In this case the wheels are stone colour, while the radiator grille and bumpers, etc., are aluminium.

The Hudson Hornet will please the many hundreds of collectors who have written to me suggesting that more examples of American cars should be included in the range. Apart from those who have a special interest in these particular cars, the very striking appearance of the new model and its beautifully detailed bodywork are bound to appeal to all Dinky Toys collectors.

The Dinky Toys model is a miniature version of the Hudson Hornet four-door sedan, a long and powerful car with a wheelbase of $121\frac{1}{4}$ ", and a 225 b.h.p. V-8 engine. The big radiator grille is of an attractive cellular pattern, rimmed in heavy metal, and carries a "V" design theme. Another notable external feature is the hefty wrap-

around front bumper, which is

One of America's big cars modelled as a Dinky Toy. It is the Hudson Hornet (Dinky Toys No. 174) introduced this month.


fitted with special guards to give maximum protection. The windscreen on the actual car, by the way, is one of the largest in the motor car industry, having an area of 1,100 square inches and a width span of 624 in.

In planning, casting and finishing the Dinky Toys model of this fine American car, every care has been taken to ensure

that it should be a near perfect miniature of the real car in all its external features, and I am sure that those who are familiar with the actual vehicle will agree that a very high degree of success has been attained.

Here again there are two 2-tone colour schemes. One of these the body in has primrose yellow and the top in grey, with grey side flashes, grey wheel hubs and white tyres. The massive radiator grille and bumpers, lamps and rear motive are in aluminium. The other colour scheme is equally effective. In the body is this brilliant red. with cream top and side The wheels flashes. are stone with white items—you will get just as much fun from your older ones, and it won't matter as much if they get knocked about a bit.

It has taken me some time to go through all the entries received in the Dinky Toys layout picture errors contest announced in the May M.M., but the task was completed eventually and all the prize-winners have now received their awards. The list of



Fun on the sands with Dinky Toys. This picture shows one of the many play schemes it is possible to arrange at the seaside.

tyres. Aluminium finish is used for the radiator grille, etc., as in the alternative scheme.

Have you had your holidays yet? If you are one of those who still have this pleasure to come, let me remind you that it is a very good plan to take a few of your Dinky Toys along with you. In this country, as we all know only too well, the weather is apt to be uncertain at the best of times, and a few Dinky Toys included in your luggage will provide you with a means of passing the time enjoyably if you are forced to stay indoors for a while. Also you can have really good fun with them on the seashore, for it is easy to make good roads in the sand and miniature buildings, including of course the good old sand castle with its tunnels, can be shaped quite easily. The picture on this page will give you a good idea of the possibilities.

So don't forget to put a few old cars in your grip! Don't take your best and newest successful entrants is given below and a P.O. for 10/6d. has been sent to each of them: P. Bryson, Manchester; M. A. Farrell, Hendon, London N.W.4; S. Penn, Robin Hood, Yorks.; M. Steer, Plymouth; A. Tambinayagam, Ceylon; J. A. Vallance, Portsmouth.

I congratulate these Dinky Toys collectors on their success, and the neat manner in which they completed their lists. Some entrants submitted much longer lists of "errors" than those to whom I finally awarded the prizes. Unfortunately these competitors, instead of listing only the factual errors included items that were not really errors but just matters of personal opinion, and these of course did not count. However, taking the entries all round they proved that readers of the Meccano Magazine have very keen evesight.

There will be another Puzzle Picture of this kind soon in the Dinky News pages, so keep a look out for it.

384

"Tommy Dodd" writes about



Bits and Pieces!

WE had a chat last month about simple railways, and the possibilities of working in sidings or branches in an interesting manner, these being developed to suit some particular traffic needs. Most layouts include some activities of this kind and this means that a variety of different items of freight is usually seen round and about the yards, warehouse buildings and on goods platforms, and of

course some will be loaded into Wagons. Apart from loads specially made up for the purpose, there are lots of things that can be used that are to be found about the house or among the

collection of oddments that many boys seem to treasure.

So our pictures this month include suggestions that can be followed up on the simplest railway and indicate various uses and possibilities of some of the fine Hornby No. 50 goods vehicles introduced during last year. I expect that most Hornby railways have some of these in use now and probably many of them have already run up quite a "mileage" on busy journeys on layouts here, there and everywhere.

The illustraton on this page shows a simple but very effective load for the

No. 50 Lumber Wagon. This represents the type of vehicle used for the carriage of tree trunks and similar timber and you could not have anything easier to reproduce in miniature. One or two pieces, of suitable length for the Wagon, of the type of stick that so many boys seem to manage to pick up during the holiday period will be just the thing. These are simply loaded on the bolsters that are a characteristic feature

The picture above suggests interesting loads for Hornby Goods vehicles. The No. 50 Lumber Wagon is loaded with logs, as it should be, and "tubes"—drinking straws really—make an excellent load for the Open Wagon next to it, forming part of this Hornby goods train. Various Vans stand on the siding in the background. of the Wagon concerned. If they are stacked in a tidy manner they should not come loose during the journey, b u t a s a n a d d i t i o n a l precaution you can hold them together

on the Wagon with a rubber band or two.

In the same picture, and in the one at the top of the following page, a No. 50 Wagon is shown with a load of miniature "tubes". These are actually drinking straws, of which you are sure to have a plentiful supply available at this time of the year. They are easily cut to length and of course they are light, which is an advantage with any load carried in the wagons of a clockwork railway.

Our minature tubes represent a finished manufactured product, but a complete contrast is offered by the oddments that you

A novel yard scene on a Hornby railway. Various odds and ends and one or two made-up pieces suggest activity in scrap metal traffic.


see in the second illustration, between the tracks in the goods yard. These bits and pieces represent a miscellaneous collection of scrap, such as it is possible to see loaded in railway wagons at times.

I am sure that most of you will have no difficulty in getting together a similar collection.

One or two pieces of cardboard of different sizes make a good start. You can paint these if you wish to represent parts of old drums or boilers and if you add one or two things from your collection of bicycle oddments and perhaps a metal ring of the type used to secure the lid on some types of household jars, you will be getting on. Perhaps a disused wheel from an old wagon and an axle or so may be included.

The form of some of the items will make it easy for your yard crane to hoist them into your wagons, but certain pieces may need slings placed round them so that the crane hook can catch them up. Making these from string or Meccano Cord will be a nice exercise for nimble fingers.

Another little job that you can do is suggested by the markings shown on two Vans in the lower picture. You will have





noticed how real railway goods vehicles often carry the name of a loading point or destination, or even a brief record of their contents, marked on them in chalk. Often markings of loading points and destinations provide interesting clues to the wanderings of the particular vehicle concerned, always provided that you can sort out the meaning of some of the rather mysterious abbreviations. In miniature you cannot chalk on a Hornby vehicle, but you can imitate chalking by a little careful brushwork using the type of water colour known as poster paint. Before starting to paint, rub the surface that you want to letter with an ordinary rubber, otherwise the paint will not settle properly.

Perhaps you have some of this paint at home, but if you have to buy some you will find it useful for many other miniature

or modelling purposes. If you are not good at this sort of thing do not worry too much; the real chalk writing is not always really neat, but there are exceptions. In any case you can always remove the paint with a damp rag and start again.







Of General Interest

Is this a Record?

I am wondering if the envelope shown in the picture above holds the record for the number of stamps it carries. I have not counted them, but J. Worley of Marston St. Lawrence, near Banbury, who has sent it to me, tells me there are 69 altogether. I think most of you will have recognised immediately that the letter was posted in Calcutta, in India. The total value of the stamps is 28 rupees, which is equivalent in British currency to about £2 28. 0d.

I often receive letters from readers in India, and indeed in other countries, that have a multitude of stamps on them. Sometimes the number of these has been so great that they have run over on to the back, but in those cases the envelope has

been a much smaller one than that shown above and the total has been much less than 69. Possibly some of you have envelopes with a remarkable number of stamps on them, and I should like to know if anyone can produce one with more stamps on than are seen on this example.


Auckland Harbour Bridge

The British Commonwealth has a number of very remarkable bridges, the Sydney Harbour Bridge, and the Birchenough Bridge across the Zambesi among the more recent. Now the number is to be increased by the construction of a great bridge across the harbour of Auckland, in New Zealand, which indeed is already in course of erection, as the photograph at the foot of the page shows. This came from R. Campkin, who lives in Auckland. When sending it he pointed out that when complete the bridge will link Auckland City with the northern suburbs and will also provide a shorter route to the areas of New Zealand north of the city. His picture shows part of the bridge under construction.

The date at which it is expected that the bridge will be completed is May 1959. If the weather is favourable it may be finished before that time. Readers of course will be greatly interested in this addition to the great bridges of the Commonwealth, and in due course an illustrated article on it will appear in the M.M. It is being constructed by famous British bridge builders.



387



Railway Owned by a City The Liverpool Corporation System at Kirkby

By J .W. Gahan and Jeffrey Marshall

A BOUT twenty years ago the village of Kirkby, which is a few miles to the north-east of the City of Liverpool, was a quiet place where a few of the citizens ventured for Sunday walks. There was no bus service then, as the Liverpool transport did not at that time venture so far out in that direction. The village has an ancient Church and is served by a small rural kind of railway station on the former Lancashire

and Yorkshire Railway main line between Liverpool and Manchester. In the earlier thirties the new East Lancashire Road, built to connect these cities, was completed and opened. It passed within a mile or two of the willowe but

The picture at the head of the page shows a scene at Kirkby, on a railway owned by the Corporation of Liverpool that is dealt with in this article. In it diesel shunting locomotive No. 3 is hauling a train of high-capacity tank wagons. The railway serves a new and busy industrial area, and has a track mileage of about 40. This photograph is reproduced by courtesy of Henry Diaper Ltd.

of the village, but did not disturb its peace.

With the outbreak of war in September, 1939, a great change took place. This quiet suburb was chosen as a site for factories to be engaged on the production of materials required for the war. A large factory estate was laid out and provided with by-roads, while there also sprang into existence many railway sidings to connect it with the main line. A tramway too was extended to the Estate, and bus and railway services were provided and continually augmented as required to serve the factories, all of which were working at high pressure.

This continued until the war ended in 1945. In due course the former war factories then gradually became redundant, but the most interesting development was that the railway system and the Estate itself were taken over by the Corporation of the City of Liverpool. The latter became known as the Kirkby Trading Estate, for it consisted

of a large number of factories, with of course housing estates, which together have created what can almost be described as a new town in itself. The once green fields and hedgerows have now largely disappeared

and their place is taken by concrete, bricks and steel, in a great industrial development scheme that is still in progress.

There must be few cities that actually own and operate a fairly considerable railway system. That serving the Kirkby Trading Estate consists of approximately 40 miles of track, mainly in the form of sidings, and serves most of the one hundred and twenty firms who have their premises there. Much of the track is of the chaired bullhead type, but there are stretches of flat-bottom track also. An

extension serving a great new factory on the East Lancashire Road leaves the Estate proper and crosses the now abandoned electric tramway, which had been built in 1942. It is a right-angle crossing, on the same level as the tramway.

This crossing was recently the scene of an operation that was probably unique. When the tramway to Kirkby was replaced by bus services in 1956, no room could be found for the displaced tramcars at the Corporation Works in Edge Lane. So it was decided that on the Sunday after the services ceased, the trams would be driven out to Kirkby and parked at the terminus, to be moved over the railway tracks to a storage place that had been made available.

The trams were transferred from their

own grooved track on to the grooveless railway track with the aid of mobile cranes and skid-plates. Trains o f tramcars were assembled in this way and these were hauled about 2 mile over the railway to the far side of the Estate. Τhe whole operation was carried out expeditiously and without serious mishap. and the illustration on this page shows one

sturdy machines were built by the Drewry Car Company Ltd., and are powered by 204 h.p., eight-cylinder diesel engines. They have fluid flywheels, hydraulic clutches and dual control and have five gears in both the forward and reverse directions. A steam locomotive is kept in reserve. Each locomotive carries the City coat of arms on the cab-side, the livery being green.

The railway has a new engine shed equipped for servicing, and also a weighbridge of 35 tons capacity. A wagon-mounted weed spraying unit also forms part of the equipment and is used for the control of weeds on the track. The City Engineer's Department maintains the system.



An unusual train, made up of Liverpool Corporation tramcars, taken out of service, being shunted into storage sidings by a diesel locomotive. Photograph by S. Clarkson.

of these trains, headed by a diesel locomotive. They must have been unique.

The picture on the opposite page shows a train of Tank Wagons owned by Henry Diaper (Bulk Liquids) Ltd., of Liverpool, which are used for the conveyance of Latex Rubber between Gladstone Dock, Seaforth and Kirkby. These Tank Wagons are the largest in the British Isles and have a capacity of 10,000 gallons. The laden weight of each wagon is 63 tons. They run on 4-wheeled plate frame bogies, and were built by British Railways. Their colour scheme is green, with white lettering shaded in black.

Originally steam locomotives served the railway, but today motive power is provided by two diesel-mechanical 0-6-0 shunting locomotives, numbered 3 and 4. These

The City of Liverpool and surrounding districts are well provided for in the matter of railways, and as an industrial area they provide plenty of traffic. In addition to the famous Edge Hill grid-iron of the former London and North Western Railway, there is a large group of sorting sidings at Aintree. by built the former Lancashire and Yorkshire Railway Company, and many The whole of the other installations. seven miles or so of docks too are served by an extensive railway system, a description of which could form an article in itself.

The Kirkby station already referred to is situated on the main line from Liverpool Exchange Station to Manchester Victoria, which is joined by a connection from the North Docks in the (Cont. on page 378)

A New Post Office Machine

By the Editor

IN the March issue of the Magazine there was an article describing

ingenious machines that had been designed by the British Post Office for speeding up the sorting and handling of letters. To make the best use of such machines, it is necessary to have some rapid way of "facing" the letters concerned, that is of turning them so that all are right way up, with the stamp in position for postmarking. At the time of writing such a machine is now being tried out at Southampton.

Clearly the first need in a facing machine is some means of detecting the stamp, and the one adopted is to print black lines on the back of the stamps, before gumming, using a graphite ink that conducts electricity. When the stamps are passed through a high voltage scanner the current then passes through them, completing an electric circuit that is used in devices for turning the letters over if necessary to bring them to the correct position.

The machine does more than this, for it distinguishes letters carrying a 2d. stamp from those carrying stamps of other values up to 3d. This is effected by printing a single black conducting line on the 2d. stamps and two similar lines on the other values, and stamps treated in this way are being sold in the Southampton area.

The machine is seen in the upper picture on this page. It is 20 ft. long, 6 ft. tall and 5 ft. wide. Stacks of letters fed into the first section are spaced by rollers into a stream of separated letters that pass on a single

endless belt through the first of two scanning heads, which searches an area along both sides of the bottom edge of the letters. Those for which no signal is given to show that a stamp has been found on the bottom edge are then diverted and turned over to bring the stamp to that position. These rejoin the main stream, which then consists only of letters with stamps on the bottom of the envelope.

Then the second scanning head comes into play, The signals from it operate mechanisms that complete the facing and divert each letter into one of four stacking boxes. Those without stamps are delivered into a fifth, to be dealt with specially.

Where the letters passing through the facing machine are stacked.





390

A Meccano" Mechanisms" Competition

Cash Prizes for Good Ideas

ENTRIES in Meccano model-building competitions usually are pictures or drawings of complete models of some kind. Now here is a new idea in these contests. Instead of complete models, entrants are asked to send in details of *mechanisms* only.

By "mechanism" we mean constructions such as gear-boxes, clutches,

differentials, reversing gears, brakes and similar mechanical devices designed for specific purposes or for carrying out special mechanical movements. There are hundreds of suitable devices, many of which require only a few parts to build up, and there are an amazing number of different ways of constructing mechanisms that serve identical purposes.

Mechanisms of this kind are usually intended for use in models, but in this contest it is not necessary to incorporate the mechanism in an actual model.

After you have thought out and built up a mechanism the next thing we ask you to do is to make a neat sketch of it, or to obtain a good clear photograph. Then write a short description of the purpose and construction of the mechanism and send this, with the sketch or photograph, to Meccano Mechanisms Competition, Meccano Limited, Binns Road, Liverpool 13. Put your age, name and address on each illustration. The closing date is 31st October next.

There will be two Sections: A, for those under 14 years of age on 31st October next, and B, for those then aged 14 or over.

THE PRIZES


The following prizes wil of the Sections A and B.	l be	awarded	ir	1 ea	ch
or the overload is and at			£	s.	d.
First Prize, Cheque for		20.00	4	4	0
Second Prize, Cheque for			2	2	0
Third Prize, Cheque for			1	1	0
Ten prizes, each of	14.41			10	0
Ten prizes, each of	24.4	1.00		5	0
Closing Date for Entries:	31st	October	, 19	958.	

RESULTS OF THE "NEW YEAR" MODEL-BUILDING COMPETITION

The full list of prize-winners in the "New Year" Model-Building Competition is as follows:—

Section A

First Prize: £4 4s. — J. M. Skeffington - White, Harrogate; Second Prize: £2 2s. — N. Spain, Stowmarket, Suffolk; Third Prize: £1 1s. — J. H. Borkowski, Montreal, Canada.



This amusing model Emett Train won a prize for Roger Latham, Solihull, in the "New Year" Model-Building Competition.

Ten Prizes each of 10/-: S. J. Gee, Coventry; R. Cole, Enfield, Middx.; K. Cameron Ary, Kentucky, U.S.A.; A. Davis, Arequipa, Peru; C. Wright, Nottingham; G. D. Ward, Hampstead, London; J. and W. Slosse, Antwerp, Belgium; S. A. Jones, Chigwell; S. Baartman, Pretoria, South Africa; G. Giese, Buenos Aires.

Ten Prizes each of 5/-: N. McEwan, Wallasey, Cheshire; J. Lauder, Bath; A. Stansfield, Bradford; D. Edwards, Walsall, Staffs.; I. Clark, Roundhay, Leeds; A. C. Ovenall, Stockton Heath, Cheshire; E. Scharf, London W.2.; I. J. Wightman, Derby; S. R. Shute, Huddersfield; A. P. Stears, Ickenham, Middx.

Section B

First Prize: £4 4s.—H. W. Henry, Rochester; Second Prize: £2 2s.—M. Brookfield, Stoke-on-Trent; Third Prize: £1 1s.—H. J. Halliday, London S.E.15.

Ten Prizes each of 10/-: R. Smith, Aberdeen; A. J. Van Der Kroft, Amsterdam, Holland; G. Kind, Luxembourg; S. Peart, Aylesham, Norfolk; S. W. Tebby, Farnborough; C. J. Sanctuary, Wolverhampton; R. P. Turner, Leicester; P. H. Kessler, Lucerne, Switzerland; B. Mackintosh, Montreal, Canada; J. O'Brien, Adelaide, S. Australia.

Ten Prizes each of 5/-: R. Murphy, Quebec, Canada; G. Colnags, Bergamo, Italy; Dr. D. P. Marolia, Bombay, India; G. B. Lewis, Swansea; J. Messer, Blackwell, Carlisle; A. K. Forbes, Aspatria, Cumberland; R. Latham, Solibull, Warwicks.; A. Kumar, New Delhi, India; B. W. Rowe, N. Abbot, Devon; J. A. Barak, Long Eaton, Notts.

Among the Model-Builders

By "Spanner"

Ratchet and Pawl Mechanism

The ratchet and pawl device shown in Fig. 1 was submitted by 11-years-old John Bingham, Hindhead. The Ratchet 1 is fixed on the Rod, and a Bevel Gear 2 is connected by two $1\frac{1}{4}$ " Bolts to a Face Plate 3 as shown, both of these parts being free on the Rod. The Pawl 4 is fixed to a $\frac{1}{2}$ " Bolt passed through the Face Plate. The Tension Spring is attached at one end to another $\frac{1}{2}$ " Bolt 5 locked by a nut in the Face Plate, and its other end is connected to the boss of the Pawl by a bolt screwed into a threaded hole of the boss.

A Belt Adjusting Device

There are many different types of tensioning devices for adjusting the tension of driving belts, and a very simple form suitable for use in Meccano models is shown in Fig. 2.

In this device a 1" loose Pulley 1 rotates freely on a 1" Rod secured in the boss of the Fork Piece 2. The latter is mounted on a 3½" Threaded Rod 3, which is secured by means of two nuts at either end to a Double Angle Strip. A similar Double Angle Strip 4 is mounted in an inverted position and maintains the Fork Piece 2 in a horizontal position. The Rod 3

passes completely through the




Fig. 1. A ratchet and pawl mechanism that has many applications in model-building.



"That's another job finished" says five-years-old Michael Crabtree, Hebden Bridge, as he puts the last bolt into a model fire-engine, built mainly by himself.

bore of a Threaded Boss 5, which is mounted immediately alongside the Fork Piece 2. A few turns of the Threaded Boss will force the Fork Piece carrying the jockey pulley towards the belt, so increasing its grip around the Pulleys 6.

One of the advantages of a screw-adjusted tensioner lies in the fact that the tightness of the belt may be varied according to the load to be transmitted, so that when little power is required the belt can be "slacked off" to allow for easy running. The device may also be employed as a form of clutch mechanism. For this purpose a very slack belt is used so that if the pressure on the Pulley 1 is relaxed a point will be reached when the belt merely slips around the pulleys.

A Novel "Maltese Cross" Movement

Fig. 3 shows a novel method of achieving an intermittent motion something on the lines of that obtained from an orthodox Maltese Cross mechanism. The arrangement illustrated is suggested by H. H. Taylor, Huddersfield.

The driving member, which rotates constantly, is a Bush Wheel 1 fixed on the driving shaft. This carries two bolts in adjacent holes. In the illustration an Adaptor for Screwed Rod 2 is screwed on to the shank of one of these bolts to act as a handle to turn the mechanism for demonstration purposes, but it is not

builders anxious to drive their models by means of gears. The best type of gearing for use in a particular model will depend on the kind of model and the amount of power needed to drive it. For a slow-moving model of a heavy type, such as a traction engine, gears that will provide a fairly big reduction ratio will be required, and a Worm meshed with a 57-tooth Gear will usually be satisfactory.

For really heavy models it may be necessary to use several gears meshed together in pairs, and this is known as a compound gear train. A good example of this consists of a Worm on the motor shaft meshed with a 57-tooth Gear, and a $\frac{3}{4}$ " Pinion on the same shaft as the 57-tooth Gear meshed with a 50-tooth Gear fixed on the driving shaft of the model. The Worm and the 57-tooth Gear form the first stage of the gearing and give a reduction ratio of 57 to 1. The second stage is formed by the 3" Pinion meshing with the 50tooth Gear, and these give a reduction ratio of 2 to 1.

The complete train gives a total speed reduction ratio of 114 to 1, and the result is that the power exerted on the driving shaft of the model is 114 times greater than would be obtainable direct from the motor shaft.




Fig. 3. A Maltese Cross movement designed by H. H. Taylor, Huddersfield.

Fig. 2. One of several different types of driving belt tensioning d e v i c e s that can be b uilt in Meccano.

required when the mechanism is used in a model. On the driven shaft is a second Bush

Wheel 3 fitted with a bolt and nut in each of its eight holes. When the Bush Wheel 1 is turned the two bolts in it engage the bolts in the Bush Wheel 3 and rotate the Bush Wheel 3 through one-eighth of a revolution. The Bush Wheel 1 then continues rotating but the Bush Wheel 3 remains stationary until the bolts in Bush Wheel 1 engage it again. Fitted to the other end of the driven shaft is a large Fork Piece and mounted above it is a Double Arm Crank fixed on the end of a short Rod journalled in a Double Angle Strip as shown. The Rod carries a Collar in the position shown and a Compression Spring between the Collar and one lug of the Double Angle Strip.

3

2


5

4

6

How to Use Gearing

The following brief notes on the use of gearing will be helpful to young model-



A Realistic Model Helicopter and a Magazine Rest

T HE model Helicopter shown complete in Fig. 1 is an excellent subject for those with a fair quantity and assortment of parts at their disposal. It is not designed for construction from any particular Outfit.

The cabin section of the fuselage is made by bolting four $4\frac{1}{2}'' \times 2\frac{1}{4}''$ Flexible Plates 1 together and then curving them slightly as shown. On the inside the upper edges of the Plates are strengthened by $4\frac{1}{2}''$ Strips, and the Plates are connected by a curved $2\frac{1}{2}''$ Strip 2. A $5\frac{1}{2}'' \times 2\frac{1}{2}''$ Flanged Plate 3 (Fig. 2) is fixed between the Plates by bolts 4 (Fig. 1) on each side.


The nose section consists of a curved $3\frac{1}{2}''\times2\frac{1}{2}''$ Flexible Plate 5 (Fig. 2) and two curved $2\frac{1}{2}''\times1\frac{1}{2}''$ Flexible Plates 6. These are connected at their upper ends by a $3\frac{1}{2}'' \times 1\frac{1}{2}''$ Triangular Flexible Plate, which is edged by a 31 Strip. Two 21 Strips 7 on each side of the craft support a 3" Strip, and the latter is connected to the opposite side by two 31 Strips curved and arranged as shown. A 21" Strip 8 is attached to the front ends of the 3" Strips by Obtuse Angle Two 21" Curved Strips 9 are Brackets. bolted to the sides and arranged so that their front ends can be joined by a bolt. The bolt supports also a Formed Slotted Strip that is attached to the Plates 6. Two $2\frac{1}{2}'' \times 1\frac{1}{2}''$ Triangular Flexible Plates are fixed to the front pair of Strips 7 and to an Obtuse Angle Bracket attached to the Curved Strips 9.

Each side of the structure that supports the main rotor consists of a $2\frac{1}{2}'' \times 1\frac{1}{2}''$ and a $2\frac{1}{2}'' \times 2\frac{1}{2}''$ Triangular Flexible Plate, which are connected to the Plates 1 by Obtuse Angle Brackets. The upper corners of the Triangular Flexible Plates are joined by a Double Bracket. The front of this structure is formed by two $2\frac{1}{2}''$ Strips bolted together at their upper ends, their lower ends being connected to the sides by Angle Brackets. The back is made in a similar way to the front, except that 3'' Strips are used instead of $2\frac{1}{4}''$ Strips.

The tail is made by fixing two $12\frac{1}{2}''$ Strips 10 and a $5\frac{1}{2}''$ Strip 11 to each side of the cabin. The rear ends of the Strips 10 are connected by 1" Triangular Plates. The plating above the Strips consists of two $5\frac{1}{2}'' \times 2\frac{1}{2}''$ Flexible Plates 12, a $4\frac{1}{2}'' \times 2\frac{1}{2}''$ Flexible Plate 13 and a $3\frac{1}{2}'' \times 2\frac{1}{2}'''$ Flexible Plate 14. On the inside a $12\frac{1}{2}''$ Strip is bolted along the centre of the Plates. Two $3\frac{1}{2}'' \times 2\frac{1}{2}'''$ Triangular Flexible Plates are arranged between the Strips 11 and the rear of the cabin.

Each leg of the main undercarriage is a $2\frac{1}{2}'' \times 1\frac{1}{2}''$ Triangular Flexible Plate bolted to a $5\frac{1}{2}''$ Strip 15 and connected to the underside of the cabin by an Obtuse Angle Bracket. The wheels are 1" loose Pulleys with Rubber Rings, and they are mounted freely on $\frac{1}{2}''$ Bolts fixed by two nuts each in $1'' \times \frac{1}{2}''$ Angle Brackets. Each leg is braced by a strut consisting of two Rod and Strip Connectors joined by a $1\frac{1}{2}'''$ Rod. The strut is attached to a $1\frac{1}{2}'''$ Strip fixed to the cabin and to an Obtuse Angle Bracket bolted to the leg.

The nose wheel is a 1" loose Pulley with Rubber Ring placed on a $\frac{1}{2}$ " Bolt that is fixed by nuts in two $1\frac{1}{2}$ " Strips. Each of



these Strips is held by a bolt that is fitted with two Washers and then screwed into a Collar on a $1\frac{1}{2}^{''}$ Rod. Eight Wheel Discs are placed on the Rod, which is then fixed in a Double Arm Crank bolted inside the cabin.

The hub of the tail rotor is a Three-way Rod Connector with boss, and each arm of this carries a 1" Rod fitted with a Rod and Strip Connector. A $1\frac{1}{2}$ " Strip is bolted to each Rod and Strip Connector. The rotor is mounted on a $1\frac{1}{2}$ " Rod held by a Collar in the 1" Triangular Plates at the tail.

The main rotor is made by fitting a 5" Rod in each arm of a Three-way Rod Connector with boss. A $9\frac{1}{2}$ " Flat Girder is bolted to a Right Angle Rod and Strip Connector and a Rod and Strip Connector passed over the Rod. The rotor is mounted on a $4\frac{1}{2}$ " Rod supported in the Flanged Plate 3 and in the Double Bracket at the top of the cowling.



Fig. 3. A useful magazine stand that can be assembled from a few parts. Just the thing for holding the opened "M.M." or Instructions Book.

Magazine Stand

The simple book stand shown in Fig. 3 was designed especially for readers of the M.M., and was sent to us by C. Cohen, Secretary of the Cape Peninsula Mecanno Club, Cape Town. It is a very useful gadget that will come in handy when you settle down to read the M.M. and it can also be used to support a Meccano Instructions Book when you are model-building.


The base of the model is made up of two $12\frac{1}{2}$ " Angle Girders joined at each end by a $2\frac{1}{2}$ " $\times \frac{1}{2}$ " Double Angle Strip. The framework consists of two $9\frac{1}{2}$ " Strips joined by two $12\frac{1}{2}$ " Strips as shown and bolted to the rear Angle Girder. It is braced at the top corners by 3" Strips. The two arms that hold the Magazine in position are $5\frac{1}{2}$ " Strips with Double Brackets fixed to their ends as shown. They are bolted to the 3" Strips are bolted to the front Angle Girder of the base.

A back strut to support the frame is formed by a $12\frac{1}{2}''$ Strip that is bolted to a $1'' \times 1''$ Angle Bracket fixed in the centre holes of the top $12\frac{1}{2}''$ Strip of the frame. At the bottom of the $12\frac{1}{2}''$ Strip two $1'' \times \frac{1}{2}''$ Angle Brackets are bolted to a Formed Slotted Strip.

Parts required to build the model Magazine Rest are: 3 of No. 1; 2 of No. 1a; 2 of No. 2; 4 of No. 4; 2 of No. 8; 2 of No. 11; 1 of No. 12a; 2 of No. 12b; 27 of No. 37a; 27 of No. 37b; 4 of No. 38; 2 of No. 48a.

> Parts required to build the Helicopter: 5 of No. 1; 3 of No. 2; 2 of No. 2a; 4 of No. 3; 4 of No. 4; 8 of No. 5; 9 of No. 6a; 3 of No. 10; 1 of No. 11; 6 of No. 12; 2 of No. 12b; 3 of No. 15; 1 of No. 15a; 3 of No. 18a; 1 of No. 18b; 3 of No. 22a; 8 of No. 24a; 103 of No. 37a; 96 of No. 37b; 18 of No. 38; 1 of No. 52; 4 of No.

> > (Continued on page 406)



HORNBY RAILWAY COMPANY

By the Secretary

 $B_{\rm I}^{\rm EFORE}$ anything else this month I must give you some news that I am sure will delight all of you. This is the introduction of the first main line goods engine in Hornby-Dublo, indeed the first such engine in Gauge 00 produced in this country. Just look at the illustrations at the foot of the opposite

page and on page x in the advertisement section of this issue of the *M.M.* They represent the powerful L.M.R. 2-8-0 type familiarly known as the 8F class. Large numbers of these engines are in service. News and Views

detailed engine for freight train work that has been eagerly in demand, one that will look absolutely right at the head of any of your goods trains. I shall be able to tell you more about it in due course and to say something about the engine in service.

There is little doubt that with recent introductions in the series of SD6 goods

The train seen in the illustration at the head of the page is obviously "The Meat". The Hornby-Dublo SDG Refrigerator Vans indicate this and it is quite properly hauled by the Hornby-Dublo "Bristol Castle", as engines of this class are used on trains carrying such perishable loads.

not only on London Midland routes, but elsewhere as well.

The appearance of this fine new engine marks a big step forward, for there has long been the need for a heavy main line freight locomotive for Gauge 00 railways and the new Hornby-Dublo engine is just the thing for this. It represents a prototype that has been constantly suggested by large numbers of Hornby-Dublo owners during the past few years. So now the Hornby-Dublo system includes a really beautifully vehicles with moulded bodies, and with more of these to follow later on, there will be plenty of goods stock for the new freight engine to haul. I can see that the Goods Departments of many Hornby-Dublo railways are going to be

very busy during the coming months.

Last month I told you about the most recent SD6 vehicles and two of our pictures this month show these in service. I need scarcely repeat that these, the SD6 Refrigerator Van W.R. and the 13-ton Standard Open Wagon, reproduce exactly all the characteristic details of the originals so perfectly that no Gauge 00 railway should be without them. And there are others in the SD6 range that are equally indispensable, as our pictures show.

Incooundinacy.co.uk

THE MECCANO MAGAZINE


A short train of empties including SD6 Open Wagons. The recently introduced 13-ton Standard Wagons are clearly shown.

No other title than The Meat would suit the fast perishable train shown in the picture on page 396. That it is an important one is obvious because Bristol Castle is hauling it, so that the complete formation reproduces entirely the appearance of a real Western Region meat train speeding on its way. The Meat.

somewhat similar to *The Fish* that I have mentioned in a previous talk, is a term traditionally applied on many routes to a regular service of this kind.

I expect that sharp-eyed readers will have detected something special about the Goods Brake Van in the rear of our Hornby-Dublo meat special. This is actually a moulded vehicle, one of the SD6 series in fact, but one that I have not dealt with so far because it is not yet available separately. Those of you who watch such things will have noted that the two new Goods Train Sets, G16 and G19 respectively, which became available a month or two ago, include this SD6 Goods Brake Van of Western Region type.


The fullest advantage has been taken in the moulded construction of this new Brake



Van to reproduce the characteristic features of the real van, and I will have more to say about it later. Obviously this was just the Brake Van to use in arranging the meat train formation shown in my picture, as I am sure you will all agree, although you may not be able to buy this Van separately for a little while. It is well worth waiting for!

Do not forget that meat trains can also include traffic handled in containers. You know that the Hornby-Dublo System includes an Insulated Meat Container, mounted on an appropriate Low-Sided Wagon, so you have plenty of choice in the matter of the make-up of a train for meat traffic.

Late news item: another new vehicle is to appear this month, the SD6 12-ton Ventilated Van. But more about this later.



The new Hornby-Dublo L.M.R.8F2-8-0 in action. The sturdy and powerful appearance of this engine is well shown in this illustration.

Making Gradients and Banks

DAVID MOUNTFORD, H.R.C. member No. 296583, of Great Barr, is the keen owner of the fine railway that you see in the picture below. In building this up his father Mr. R. Mountford has played an important part, for David is only five. In spite of his youth the latter is a very capable train operator, and is seen to be obviously enjoying himself in the photograph.

What I like about David's railway is that

approaches. This can be done in various ways, and that adopted on David's layout is perhaps the simplest. Here the track is carried on strips of wood that are supported on suitably shaped blocks placed at intervals, leading the track up from baseboard level to a height of $2\frac{3}{4}$ in.

This simple way has the advantage that there is no elaborate supporting structure to break up if alterations are made, and of course this often happens on miniature

David Mountford, Great Barr, whom you see here, is the c a p a b le owner of this fine Hornby-Dublo railway. Road Traffic effects are provided by a selection of D inky Toys motor vehicles.

it shows how adaptable are the layouts that can be regarded as Hornby-Dublo standards. You are all familiar with the system shown in the centre of the 1957/8 Hornby-Dublo coloured folder and some of you will know that a diagram of this track is included in the latest edition of Hornby-Dublo Rail Layouts, which is now available either from your dealer or from H.R.C. Headquarters, price 6d. Now David's layout follows the same general scheme in having an outer track that is partly elevated and passes over two of the fine Hornby-Dublo Girder Bridges.

There is one difference. The inner part of the system has been reversed, as it were, and this has had the pleasing result of bringing the Turntable and the lineside apparatus for the T.P.O. well into the foreground, facing the operator when in his normal position. The elevated section is now at what we may regard as the back of the system, as is clear from the illustration above.

The use of the Girder Bridges in leading an elevated track across other tracks or roads at baseboard level raises the question of how to provide the necessary inclined railways. It is also particularly suitable for systems on which there is not a great deal of "ground" space to spare. This is the case here. David's layout occupies a board 8 ft. × 4 ft. 6 in. and the space is full of railway and lineside structures and scenery.

There are other methods of providing approach gradients or elevated tracks and a more elaborate and spectacular attractive form of raised construction is shown in the upper illustration on the next page. Here we have an arched viaduct. The track base or floor of the viaduct, and the sides of the piers or supports and the parapets, are all carefully built of wood. The arched sections of such a viaduct can be filled in with wood or card, or a combination of the two, and the result will always be satisfactory if care and patience are exercised. The finish can be applied by painting, or by making use of one of the many types of brick paper

A picturesque viaduct carries the railway over a country road. A train of empty Wagons moves across in charge of a Hornby-Dublo 0-6-2T.

that are available nowadays. When the latter are applied with care the effect can be q u i t e pleasing.




Embankments are truly railway features and some of these are quite long. One of the articles in last month's M.M. gave some useful details of possible ways of construction for miniature railways. Although methods of forming the actual bank can vary according to the wishes of the Engineer-in-charge, the basic idea of laving the track on wooden strips supported by blocks remains the same. Some owners prefer to use canvas or some similar material, or perhaps suitable wire mesh covered with paper, as the foundation for the banking effects. The latter can be applied by means of plaster or some similar modelling material that is capable of being spread or moulded as required.


Some of our younger enthusiasts will find

this type of work a little difficult perhaps, but they need not despair. A lot can be done with ordinary brown paper, preferably not the shiny sort. This can easily be attached to the baseboard by means of drawing pins or some suitable adhesive, and balls of screwed-up newspaper can be used as a sort of filling underneath the surface. Water colour paint is good for finishing this type of thing and one does not have to be an artist in order to obtain quite convincing effects.

Sometimes layouts are arranged with a permanently raised section like that in our third illustration. Here the tracks at the two levels are quite separate and independent, but in spite of this the general effect of such a system can be good.



Here the main line runs on an embankment at a higher level than the yards, with a local train passing along in the background.



Good Traffic Working

By "Layout Man"

THE picture on this page shows a layout that has not only been laid out on generous lines in order to handle plenty of traffic, but has also been planned to make good use of lineside matters. The system has been built up by M.M. reader P. Phillips, of Wells, Somerset, whom you see above busy controlling affairs at *Crawford*.

This name of course is one of the standard titles provided on the labels for station name purposes that are packed with each Hornby-Dublo Island Platform and Station. On this railway very good use has been made of a combination of the standard Through Station, Island Platform and Platform Extensions in building up *Crawford*, as is obvious from the illustration, and the platforms are connected by means of the familiar Hornby-Dublo Footbridge.

By the way, notice the smoke effects on the latter. These were obtained by careful blackening with candle smoke. A neat little touch of realism this.

Main line, suburban and freight traffic are all in evidence in the picture, the situation being that the trains alongside the platforms are waiting while station duties are being performed. A goods train is running through the outer side platform road, while on an avoiding line entirely clear of the station *Bristol Castle* is passing with a heavy train. Perhaps this is a sample of holiday working of the kind mentioned by the H.R.C. Secretary in his talk last month? It is no bad scheme from the layout point of view to have avoiding tracks, if this can be arranged, as important through expresses can be given a clear road while the station platform lines are occupied by other traffic.

To the right of the picture the freight yard is busy and there is an interesting touch that I am sure will appeal to you. This is the ramp section of standard Island Platform used on its own to represent a small loading "bank". The ramp provides the necessary sloping approach and there is of course a short section of level platform at the top of it on which goods can be dealt with.

This idea has possibilities that some of you would love to explore. When Island Platforms and Through Stations are combined to form one big unit, there may be one or two ramps left over and they can be used in this rather unusual manner.





Club and Branch News



401

WITH THE SECRETARY

AN EXHIBITION HINT

A letter from the Cape Peninsula M.C., in South Africa, mentioned that at their Exhibitions each Meccano model displayed has beside or in front of it a small Meccano-built rack carrying a card bearing the name of the model and that of its builder. This method catches the eye of the visitor better than merely putting the card flat on the table, and the card is less

likely to be brushed away by visitors closely inspecting the model. Nothing elaborate is needed. Clubs to whom the idea is new may like to try it out at their next Exhibition. Another type of Meccano rack from the same source is described on page 395.

PROPOSED H.R.C. BRANCH

WEST DULWICH (LONDON)—Mr. J. Seaman, 45 South Croxted Road, West Dulwich, London S.E.21.

CLUB NOTES

NEWTOWN SCHOOL (WATERFORD) M.C.-The Whit Exhibition was very successful. The models covered a wide range of subjects, and some members exhibited two models. *Secretary:* J. Gillespie, Newtown School, Waterford, Eire.

MILE Exp (Portswourn) M.C. — Models completed have included a space ship, rocket and flying saucer. An Electric and Sound Section has been formed. The Amateur Dramatic Section recently staged an elaborate mock trial, preceded by the taking of fingerprints by two members posing as detectives! The trial was

followed by a sing-song and refreshments. The Dinky Toys layout has been completed. Secretary: Mr. A. J. Nicholson, 213 Sultan Road, Buckland, Portsmouth.

AUSTRALIA

MAVIANDS M.C.—The Winter model-building session is now in full swing, and includes Friday evenings and from 9.30 a.m. until 4 p.m. on Saturdays. Large models under construction include the Baltic tank locomotive, giant blocksetting crane, ship coaler, funicular railway, and a combine harvester. A second party of members has visited Newspaper House, where they were shown round by Mr. Harvey, and saw how a newspaper is produced. On another occasion the Leader and 36 members visited the Western Australian Government Workshops at Midland Junction. Mr. Keirnan, of Forward Down Ltd., visited the Club and showed a splendid selection of colour slides illustrating construction work in Malaya upon which he had been engaged. The first Winter cycle run was well attended. Secretary: T. Down, 31 Drummond Street, Bedford Park, Western Australia.

NEW ZEALAND

CHRISTCHURCH M.C.—The Club again had an impressive display of models at the annual New Zealand Industries Fair, which this year was visited by over



Colin Cohen, the enterprising and enthusiastic Secretary of the Cape Peninsula M.C., Cape Town, South Africa.

> examinations. At one meeting the Secretary gave an interesting talk on British Railways since Nationalisation. Plans are in hand for an outing to Carlisle Station. Secretary: F. N. Clark-Lowes, Featherstone Castle, Hillbrow School, Haltwhistle, Northumberland.

AUSTRALIA

ST. ALBANS AND NORTH PORT RAILWAY.—This first monthly report records that two new Girder Bridges have been installed on the Branch layout by the Company's Civil Engineering Section. A Hornby-Dublo 0–6–2 Tank has been overhauled in the Branch workshops and repainted Midland red. Secretary: Mr. E. G. Skiller, 176 Grand Parade, Kogarah, New South Wales, Australia.

Industries Fair, which this year was visited by over 50,000 people, a record. 50,000 people, a record. The many models exhibited included a fire engine with ladder extending some 2 ft. 6 in., working printing press, model tanker about 7 ft. long., and the everpopular Meccanograph, the designs produced by it being handed to delighted young visitors. Secretary: Mr. C. E. Saunders, 6 Walsall Street, Riccarton S.W.1, Christchurch, New Zealand.

SOUTH AFRICA

CAPE PENINSULA M.C.— Members are busy preparing models for the annual Winter Exhibition. The subject this year is *In the Dockyard*. At one meeting Mr. Mutti, a Red Cross ambulance driver, who is the father of one of the members, gave a lecture on the Red Cross radio control service between Cape Town and the town of George, some 250 miles away. The ambulance used is equipped with two-way radio. *Secretary*: C. Cohen, 23 Upper Rhine Road, Seat Point, Cape Town South Africa.

BRANCH NEWS

FEATHERSTONE CASTLE (HALTWHISTLE)—Activities h ave slowed down temporarily, as members have been busy with school



Stamp Collectors' Corner

By F. E. Metcalfe

SPORTS STAMPS

Recently I received a letter from an elderly philatelist urging me to tell all young "thematic" collectors, that is, those who collect stamps illustrating some particular subject, not to continue wasting their time. He described their present style of collecting as no better than the gathering of cigarette cards and wanted them to go in for collecting stamps and not pretty pictures.

Well, I don't propose to tell them anything of the kind. If I did, I do not suppose that they would take the slightest notice, for youth nowadays has a habit of choosing its own fun. Maybe it always had, if we had only realised it. So I am dealing with Sports stamps this month. Still, in fairness to my correspondent, who after all only wanted to be help-I must point that attention ful out merely to the classification of REPUBLICA DOMINICANA designs does not get one very

far

when all is said and done.

Sports stamps speak for themselves, as it were, and so delightful are many of them that I found it quite difficult to know which to select to illustrate these notes. Recently our own Post Office released one of "its rare special issues in commemoration of the Empire Games, which were held in Wales in July, and this had a



definite purpose, which is more than can be said about many of the sets that come out. For instance. last year the Dominican Republic. of a 1 1 countries issued a set of "Sports'

REDURRIN

stamps depicting famous athletes who had won events in the Olympic Games. The stamps were attractive enough and sold well what few there were, so they brought out another set that also depicted winners. But none of the many Russian winners was included. This was scarcely a gesture in the Olympic tradition.

Russia too brought out a set on the same lines, and in view of their athletic prowess and their success in Melbourne, maybe we can say that this was fairly justified. Their set had no Dominican winners, for obvious reasons.

Hungary is another country that has brought out some very fine Sports stamps.

Again, 1 we think can sav that this country, relatively small in population but capable of winning ten gold medals at Helsinki, is also entitled to say it wit h stamps.



Most of these sets are printed by photogravure, which lends itself to a rather easily obtained showy result. But it is very different with line engraved stamps. With them the result has to be worked for, as it were, and that is why I think the French Sports est of 1953 is such a superior printing job. One of the set I am referring to is illustrated. The six stamps in this issue, with the sole exception of the 75f. value, only cost a copper or two each, so even if our pocket money is short just now we can still afford to buy.

That is the great point about these Sports stamps. Set after set can be bought for very little cash, and that is one of the reasons perhaps why they are so popular. For instance, San M a r i n o br o ugh t out a set in1953.

There are nine stamps in all, but with so many stamps to buy, all one need do is to purchase the first seven values, or a shorter set still. Anyhow, for about two shillings a nice page can be added to one's collection. The same country issued Sports sets in 1954 and 1955, and here again short but nevertheless attractive sets cost only a shilling or so each.

Before we leave this part of the world, we may as well look to see what Italy has done for the Sports fans. In 1957 the Winter Olympic Games were held at Cortina, and of course these had to be celebrated with stamps. So a most attractive issue of four values was released. It is catalogued, used, at about 1/6d, and recently I saw a young collector pick one up for 8d. Quite a nice little bargain.

A set I like very much is the one issued by Belgium in 1950 for the European Athletic Championships. There are five stamps in the set, and the three low values only cost a little over a shilling. It will cost ten or twelve shillings to get the whole five stamps. But I feel that this set will make a nice little investment.

We cannot leave without mention of the Olympic Games set of Finland of 1951, and that of Australia of 1956. Many collectors will already have both sets in their collections, and that for Finland looks like turning out quite good. What I like about it is that the designs are neat, and genuinely postally used sets can be obtained, at about half a crown. The Australian set for the

Melbourne Olympic Games was a real mixture. It consisted of only four values, yet three printers, all of different countries, shared the task of producing them. To be quite candid, I t h in k t h a t (Continued on page 406)

403



BARGAIN FOR STAMP COLLECTORS



includes UNITED NATIONS-First 2 stamps ever includes UNITED NATIONS—First 2 stamps ever issued! GERMANY—unique Allied Military Government joint issue of U.S.A. and G.B. (6). POPE PIUS— siant triangle. STALIN-LENIN—Death Stamp. ISRAEL —Stag. ETHIOPIA—unissued Red X. JUGOSLAVIA— Red X issues complete (3). Dozens of other fascinating and unusual items. A wonderful start for a new collector. YOU'LL HAVE DAYS OF FUN JUST SORTING THIS GIANT LOT. Grand Total 215 all different stamps from all over the world. Usual 5/- value for just 1/- to intereduce our Bargain Approval. Satisfarting Guargated introduce our Bargain Approvals. Satisfaction Guaranteed.

FREE! MIDGET ENCYCLOPÆDIA OF STAMPS. SEND 1/- TODAY ASK FOR LOT MC34



486 OLD KENT ROAD, LONDON S.E.1

OLYMPIC GAMES AND WORLD SPORTS PACKET

This month we offer a fine new selection of Sports stamps from many countries with new and recent issues. All large, all different designs. A most interesting lot offered quite free to introduce our ervice to new collectors. Just send 3d. for postage.

CAPTAIN M. CAMPBELL & CO. (Dept. MM) 58 High Street, Watford, Herts.



Send 3d. stamp for approvals priced from 1d. each

MAINLY BRITISH COLONIALS G. C. ANSON

84 Shirley Way, Shirley, Croydon, Surrey

50 PICTORIAL STAMPS FREE

This packet of stamps is given absolutely FREE to all genuine applicants for my superior used British Colonial Approvals enclosing 41d. in stamps for postage. Overseas Applications Invited.

2	D. L. ARCHER (M), LITCHFIELD WAY, BROXBOURNE, HERTS.
BF	RITISH Colonial, Foreign Spacefillers, 15 a 1d ctorials, Commemoratives, Colonials, Foreign , 4d., 1d, Postcard secures hundreds approvals
	PILGRIM Priory View Road, Moordown, Bournemouth

For other Stamp Advertisements see also pages 402 and xviii

Stamp Gossip

BRUSSELS

Last month I referred to the stamps being issued in honour of the Belgium Exhibition. As they are still coming out many are trying to collect them all, and dealers report quite a brisk trade in what looks like being a colourful lot.

Even if the Exhibition were being held in Britain, it would not be easy to get our own Post Office to issue a set of special stamps, so there is no chance that we will follow the lead of America, France, Belgium, Portugal, etc. But one day there may be a change of heart at St. Martin's le Grand. In the meanwhile our cash will have to be spent on stamps issued by more wideawake administrations, such as the Portuguese one illustrated. And, also in the meanwhile, those who are lucky enough to get the chance to pay



a visit to Brussels can enjoy what is a wonderful display.

BEST OF BOTH WORLDS

While I believe that the primary object behind a hobby should be recreation, there is nothing to be said against any pastime that also provides a bit of education. Stamp collecting can provide both. For instance, a young relative of mine recently showed me a small collection of map stamps, which apart from any other consideration

was quite a delight to the eye. Naturally, the map stamps of the Portuguese Colonies, such as that of Morambique illustrated, figured prominently in this collection, for this old friend of Britain has issued some beauties.

In the arrangement of the collection it was the maps themselves that had been given first consideration, and they were arranged by continents. For instance, a full page map of say Africa was mounted, and then on the pages that followed were map stamps from countries in that continent, with a few words underneath each describing the country concerned. After this came a letter in brackets, and there was a corresponding reference letter on the map.

Now this young collector had obviously had a lot of fun, and undoubtedly picked up quite a bit of geographical knowledge

the process. One in could easily amplify the geographical angle, by writing up the stamps more extensively and adding comments OD country's each animal life products, and so on. Why not have a go? Such a collection need not make too deep inroads into our pocket money.

NEXT MONTH

Next month the new stamp catalogues will begin to appear, and we



shall be looking to see what new stamps we have got. There are certainly plenty of new ones, particularly among the Queen Elizabeth issues. Gibbons Part I, which contains all Colonial stamps, and the Commonwealth QEII Catalogue will be out at the beginning of next month, and I think they will give great pleasure. So better be getting those albums lined up.

INDIAN AIR FORCE

That sister nation, India, issues quite a lot of special stamps nowadays, but these are generally so attractive, and of such a moderate face value that on balance I am sure collectors welcome them very much. I know I do. Also, though they have been given quite a big share of publicity already, I cannot resist asking the Editor to illustrate the issue made to commemorate



the Silver Jubilee of the Indian Air Force.

One design is used for the two stamps, of values 15 n.p. a n d 9 n.p. respectively, in the issue, It will be noted that two planes are depicted, and while I might have

recognised the Hunter Jet, I am afraid that the other would have beaten me but for the fact that its make is given on the stamp. Of course I know that a good percentage of those who read these lines would have spotted the Wapiti at once.

Once more we have to thank our good friend Mr. E. R. Kooka for full details and specimen stamps. If the Indian Post Office had a few more like our correspondent then its stamps would be popular indeed, for it is only publicity they lack.

WORLD CHANGES

We all picked a funny time to be born in, for this is certainly a period of

certainly a period of change, and even our stamps are affected. For instance, Ceylon has decided that the recent change of official language shall be reflected on its postage stamps. So instead of having the name of the country in bold English lettering, we now get lettering in Sinhalese. Anyhow, it will be fun getting stamps with and without the adjustments, and this brings me to the final item for this month.



THE TIP OF THE MONTH

I have just written about the changes that are taking place with the stamps of Ceylon. The two high values Sr and 10r originally had the title of the country in large type, at the top, in English, but in the adjusted designs, the word CEYLON is in tiny letters. Ignore those for the time being, and try to get nice used copies of the originals, that is the stamps with CEYLON at the top.

First of all be sure that you only go for perfect copies. See there are no creases—the paper used creases easily —and that the perforations are intact and the cancellations neat. With so many of the stamps there are about in a poor condition, the prices for all are quite reasonable at the moment, but I have a feeling, particularly in reference to the 10r value, that later on good copies will be very difficult to get and quite costly.

Space Notes-(Continued from page 365)

of gravity is placed very far forward. The "sting", which carries the instruments, is placed on top of a Loki booster rocket. This booster fires for 0.8 sec., and then the string continues by itself to reach a peak altitude of 80-120 miles. The total cost to the University is £100 per vehicle.

Manned Rocket Volunteer

Recently the U.S. Congress appointed a Committee on Astro-nautics and Space Exploration, and various experts have been called to it to give their views. One of these was Dr. Wernher von Braun, who is in charge of the Explorer satellite programme. He proposed the launching of a 150-mile altitude man-carrying rocket as a preliminary to a manned satellite. Major D. G. Simons, who set an altitude endurance record last August with a 32-hour 102,000 foot balloon flight, has volunteered to be the first passenger.

Russia's Greatest Designer-(Continued from page 370)

slightly-improved version of the TB-7 went into it was redesignated the Pe-8, after his production assistant Vladimir Petlyakov.

Before the war ended Tupolev was reinstated, and his Tu-2 became the best of Russia's Mosquito-type light bombers. But the exploit that won him a Stalin Prize was his work on the Tu-4.

Despite its designation, this aircraft was an exact copy of the American Boeing Superfortress, which was put into production in Russia by the fantastic process of taking to pieces some Superforts that forcelanded near Vladivostok after raiding Japan, and making precise drawings of every component. Whatever we may think of such an action, it was a great engineering feat, and enabled the Soviet Air Force to build up its first real strategic bomber fleet after the war.

Today, Tupolev's reputation rests not on the pirated Tu-4, but on the series of superb jet and turboprop aircraft which he has designed for Aeroflot and the Soviet Air Force, On the military side there is the Tu-16 bomber (code-named Badger in the West), with two tremendously-powerful turbojets, and the fourturboprop Bear, with a top speed of almost 600 m.p.h. This is much faster than anyone believed a turboprop aircraft could fly a few years ago.

Of more interest and value are the civil counterparts of these bombers, the twin-jet Tu-104 and its four-motor variant the Tu-110, and the four-turboprop Tu-114 Russia, which is by far the heaviest aeroplane ever flown, with seats for up to 220 passengers and the ability to carry 120 people non-stop from Moscow to Naw York to New York.

Although, in certain respects, they are designed to different standards from those to which Western air liners are produced, they are great aeroplanes, reflecting to the full the genius and long experience of Andrei Tupolev. They also prove that, in his early seventies, he can still hold his own as Russia's greatest designer in the new jet age.

A Realistic Model Helicopter—(Continued from page 395) 59; 1 of No. 62b; 2 of No. 77; 2 of No. 90; 3 of No. 103a; 3 of No. 111a; 3 of No. 155; 2 of No. 188; 2 of No. 190a; 5 of No. 191; 2 of No. 192; 10 of No. 212; 3 of No. 212a; 2 of No. 213b; 1 of No. 215; 6 of No. 221; 2 of No. 223; 2 of No. 224; 2 of No. 266.

Stamp Collectors' Corner-(Continued from page 403) Australia would have produced something much more satisfactory if she had allowed her own Government

printers to produce all four stamps instead of just the 4d. and $7\frac{1}{2}d$, values. Harrisons of Britain printed the 1/- value and Courvoisiers of Switzerland the 2/-, which was the top value. South and Central American countries have produced

their share of Sports stamps, and we must find room to illustrate one of them. For this purpose I have selected one from Colombia. This is not actually from

a Sports set, but the subject fits, for it shows the fine football stadium of Girardot at Medellin. There is another reason why I wanted to refer to this stamp. A Sports collection should include sporting objects as well as sportsmen, and it is good fun looking for stamps with sporting motifs that are to be found amongst ordinary sets.

And now I notice that I have never even mentioned our own "Olympic Games" set of 1948. Dull and prosaic, what a sorry set it looks when mounted with all those glowing Sports sets that so many other countries have issued in the same cause.

JANUARY 1958 COVER VOTING CONTEST

April. 2. December. 3. September. 4. August.
 July. 6. November. 7. October. 8. February.
 March. 10. May. 11. June. 12. January.

Prize Winners

Home:

Home: Ist Prize: R. G. Derwent, Darlington. 2nd Prize: T. J. Reavell, Gloucester. 3rd Prize: P. J. Heath, Elsworth. Consolation Prizes: P. R. Shire, London W.12; D. Allan, Moreton; F. A. R. Minay, Edinburgh 12; D. Hawkridge, Leeds 16; T. James, Bugle; J. Chibb, Chardtoxic Chardstock. Overseast

Sterize: P. Rees, Katong, Singapore 15. 2nd Prize: Ist Prize: P. Lamb, Dublin, Eire. 3rd Prize: E. Penwell, Christ-church, N.Z. Consolation Prizes: P. Wood, Tasmania, Australia; D. Ellis, Ottawa, Canada; D. Monson, East London, South Africa.

An Interesting Edinburgh Area Rail Tour

Scottish readers who are railway enthusiasts will be interested to hear that The Stephenson Locomotive Society (Scottish Area) have arranged a "Lothian Lines" tour which will take place on Saturday, 6th September next. It will begin and end at Edinburgh, and will cover some 40 miles.

The special train, composed of a C.16 ex N.B. 4.4.2T with four corridor coaches, will leave Edinburgh (Waverley) at 1.55 p.m., and use the now diesel-operated suburban inner circle line to Niddrie, thence Smeaton Junction and Macmerry branch (closed 1925). Returning to Monktonhall Junction, freight lines will then be used to reach Portobello, from where a trip will be made over the former N.B. North Leith branch (closed 1947). At Granton (closed 1925) the train will traverse the harbour line to join the ex C.R. route and run via Crew Junction to Edinburgh (Princes Street)


run via Crew Junction to Edinburgh (Princes Street) where the tour will end at 6.2 p.m. The cost of the tour is, Adults, 11/6d.; Children, 6/-; and tickets can be obtained by post from the Honorary Area Secretary, Mr. W. A. C. Smith, 46 St. Andrew's Drive, Glasgow S.1. A detailed itinerary also is available from him at 2/6d. Please include a large, stamped addressed envelope.

DID YOU NOTICE THIS LAST MONTH?

Many of you will probably have noticed that the captions of the pictures at the foot of pages 309 and 310 in the July M.M. were wrongly placed. To put matters right, just change them round.

THIS MONTH'S SPECIAL ARTICLES

Dover-The Gateway to Englan	id	14.14		Page 358	
by W. Taylor Allen, м.в.е. The Rich Life of Bornu	22	3.5		361	
by J. Wade "The Daylight Express" by H. G. Forsythe		4.4	` æ'	366	
Russia's Greatest Aircraft Desig by John W. R. Taylor	ner			368	
Slow Boat Home				376	
Railway Owned by a City by J. Gahan and Jeffrey Mars	hall			388	
A New Post Office Machine by the Editor				390	



A Morecambe doorway with a history, as explained on this page. Photograph by E. East, Bradford.

A Link with the United States

During the summer months many thousands of holidaymakers visit Morecambe, the popular Lancashire resort. Very few of them notice the old doorway tucked away to the left of the modern, red brick Town Hall, and yet this is very interesting.

As the accompanying photograph shows, a stone tablet, the top only of which is visible, has been erected in front of the This informs the reader that the door. doorway was preserved from the old Poulton Hall, which stood on the site of the present market, and also that it is the original entrance to the Manor House of Poulton-le-Sands. This last-mentioned building was owned in part during the 15th and 16th centuries by the direct paternal ancestors of George Washington, the first President of the United States of America. E. EAST (Bradford).

Where is the Centre of England?

Until recently I had always believed that Meriden, a small village between Coventry

Midland Oak, in Lillington, a Warwickshire village that is one of the claimants to being the centre of England. Photograph by Stanley A. Bennett, Solihull.

From Our Readers

This page is reserved for articles from our readers, Contributions not exceeding 500 words in length are invited on any subject of which the writer has special knowledge or experience. These should be written neally on one side of the paper only, and should be accompanied if possible by original photographs for use as illustrations. Articles submitted will be paid for. Statements in articles submitted are accepted as being sent in good faith, but the Edilor takes no responsibility for their accuracy.

and Hampton-in-Arden, in Warwickshire, was the recognised centre of England. But while travelling through Lillington, near Leamington, where the Kenilworth road diverges from the Rugby road, I came across an oak tree known as the Midland Oak, which is also said to mark the centre of England.

In fact it appears there are several Warwickshire villages that challenge both Meriden and Lillington, each claiming the distinction for itself.

STANLEY A. BENNETT (Solihull).





"The horn's flat."

"What are you thinking of?" "Oh, nothing much."

"Don't be self-conscious."

"Do you believe in free speech?" "I most decidedly do,"

"Splendid. May I use your telephone?"

*

.

Mamma: "Where have you been, Johnny?" Johnny: "Playing ball." Mamma (severely): "But I told you to beat the rug, didn't I?"

Johnny: "No, mom. You told me to hang the rug on the line and beat it."

"You owe me six months' rent. You must get new lodgings!" declared the landlady. "Go without paying you? Never!"

A beggar approached a man with a hat in each hand. "What's the idea of the two hats?" asked the man.

"Business was improving," said the beggar, "so I opened a branch office."

*

"You've read my last book, haven't you?" asked the author.

"I hope so," groaned the critic.

. *

Bob: "What is the difference between a hairdresser and a sculptor?'

Bill: "One curls up and dyes and other makes faces and busts!"

"Don't you see the sign marked 'Private'?" asked a farmer of a man caught fishing.


The fisherman grinned. "I never read anything marked 'Private'," he said.

Bootmaker (to applicant for job): "Do you know anything about boots, my boy?" Boy: "Well, guy'nor, I ought to, I've got the boot

from every place I've had."

BRAIN TEASERS THE POOL PUZZLE

A man had a square pond with a tree at each corner as shown in the adjacent diagram. He wanted to make the pool about twice as large still keeping the pond square and the



trees in the same position. How did he do it?

. WHATEVER IS IT-

In a garden is a greenhouse, in the greenhouse is a brownhouse, and in the brownhouse is a whitehouse. In the whitehouse is a heart. What is it?

ANSWERS TO LAST MONTH'S PUZZLES Five Minute

Crossword The solution to the Crossword is shown


alongside.

* Jumbled Names

Churchill, Matthews, Shackleton, Lofthouse, Eisenhower, Penney, Marconi, Montgomery Bradman, Chataway,

D	R	1	L	L
R		N		1
А	R	D	E	Ν
В		1	5	E
S	W	A	N	S

xi



You will enjoy playing this new and brilliant game, specially compiled and designed to provide a wealth of interest, pleasure and entertainment.

For 2 to 6 Players 25/- including Purchase Tax

FROM ALL STATIONERS, STORES, ETC.

Made by JOHN WADDINGTON LTD., LEEDS 10 TELEPHONE 72244



A fine place to start a career



Handy with your hands? Want to get yourself a good job? Then your finest place is a R.A.F. Boy Entrant Training School. These schools have *everything*: the latest equipment to train you for a skilled R.A.F. trade, expert instructors—and exceptional spare-time opportunities.

Sport, athletics, sailing, clubs for all kinds of hobbies—and even a chance to fly. Here's an *interesting* way to start a skilled, wellpaid career. Post the coupon for details!

The new running track at St. Athanrinest in the R.A.F!

FAMOUS R.A.F. TRAINING SCHOOL HOST TO 1.500 SPORTSMEN!



R.A.F. Boy Entrants training at St. Athan have been behind the scenes at the year's biggest athletic event —the Empire and Commonwealth Games in Wales. St. Athan, with its superb swimming pool (above), running track and sports fields, was specially chosen to be the home of 1,500 athletes and team officials from 37 countries.

POST THIS COUPON BEFORE AUG. 15-or you may be too late for the next entry!

OR-A-F

Boy Entrant Scheme FOR BOYS 154 TO 164 SEND FOR PREE BOOKLET

to: R.A.F.(Q.P.82), Victory House, London, W.C.2. I am under 164, and British. Please send wirmour obligation details of R.A.F. Boy Entrant Scheme and higher pay rates.

Date of Birth

If you're under 15}—join the Air Training Corps!



Do you know

WHO INVENTED THE PNEUMATIC TYRE P

In 1888, the pattern of road travel—which until then had been a slow and bumpy business—changed almost overnight. For this was the year in which John Boyd Dunlop invented the first practicable pneumatic tyre.

His early experiments were carried out with canvas and with sheet rubber supplied by a Belfast chemist, fitted to a crude wooden disc. By 1889, enough progress had been made to fit the new tyres to a racing bicycle. Ridden by William Hume at a sports meeting at Queen's College, Belfast, it won every event for which it was entered.

The successful use of these tyres on bicycles then caught the attention of the owners of the "horseless carriages" of the nineties. With the repeal of the "Red Flag" Act in 1896, which had limited speeds to 4 m.p.h., a new impetus was given to the development of the motorcar. Everything began to go faster, in much greater comfort. The demand for Dunlop tyres grew and grew.



Jan Allan LOCOSPOTTERS CLUB

The Club with over 300,000 members

Membership is only 1/3 which entitles you to a CLUB PENCIL, REFERENCE BOOK, MEMBERSHIP CARD AND BADGE.

Cut out this advertisement **Now!** and send it, with a stamped, addressed envelope and 1/3 to:

CRAVEN HOUSE, HAMPTON COURT, SURREY

a b c BRITISH RAILWAYS LOCOMOTIVES

- WESTERN REGION

 (including B.R. Standard and ex-W.D. locomotives;
 Western Region Train Reporting Numbers)
- SOUTHERN REGION

 (also Diesel and Electric locos of all regions; S.R. steam train headcodes; B.R. Standard and ex-W.D. locomotives)
- LONDON MIDLAND REGION (including B.R. Standard and ex-W.D. locomotives)
- EASTERN REGION (including B.R. Standard and ex-W.D. locomotives)

Price 2/6 each

COMBINED VOLUME 10/6

(Includes summaries of multiple unit electric and diesel trains in addition to usual locomotive details)

abc BRITISH RAILWAYS DIESELS


With an introduction on diesel engines and transmissions; lists and describes all B.R. diesel locomotives and multiple unit trains. 2/6

abc LOCOSHED BOOK .. 2/6

Shed allocations of all B.R. locomotives

(Please send sufficient to cover postage)

LOCOMOTIVE PUBLICATIONS 33 Knolly's Road, STREATHAM, S.W.16



Geoff Duke's double T.T. victory in 1951—a big moment in motorcycle racing history, if you like, with Duke setting up new lap records in each event. It's the stuff that thrills followers in their hundreds and thousands!

But if you really want to explore this exciting world it's not enough to go to the racing, or even buy a motorcycle of your own. You need the vivid reports and action pictures and the really expert coverage of new machines (with cutaway drawings) that only *Motor Cycling* can provide. To the real enthusiast *Motor Cycling* is about as necessary as his driving licence. And as for celebrities, don't forget Geoff Duke's a regular contributor!

EVERY THURSDAY 9d.





xvi



YOU CAN PRINT SNAPS LIKE THIS AT HOME!

Animals or architecture, landscapes or table-top pictures, the thing that really counts is the final print. To get the result that YOU want, exactly when you want it, you can't do better than to make your own prints at home. It's not expensive—Johnson Home Photography Kits range in price from as little as 13/6 upwards—and the instructions supplied make the whole process very easy to carry out. Send s.a.e. for your free copy of the Outfits leaflet, Dept, 14, Johnsons of Hendon Ltd., 335 Hendon Way, London N.W.4.



BOND'S

Special Clearance Sale

of

AMERICAN "AURORA" PLASTIC AEROPLANE KITS

Once these stocks have been sold, we cannot repeat at this special Sale Price:

		Usual Price	Sale Price
Convair XFYI Pog	0	11/9 each	8/6 each
Boeing P26A		11/9 each	8/6 each
Lockheed F90		11/9 each	8/6 each
Lockheed Lightning	g	11/9 each	8/6 each
		stage 1/3 ext	ra

AMERICAN MONOGRAM BALSA WATERLINE BOAT KITS

To make up a model about 16 in. long. U.S. Navy L.S.T. U.S. Navy Destroyer U.S. Navy Cruiser U.S. Navy Battleship

Usual Price 15/- each Sale Price 11/- each Packing and Postage 1/3 extra.

BOND'S O'		0'	EUSTO	N	ROAD	LTD.	
357	EUST	ION	ROAD,	LO	NDON	N.W.1	
Est.	1887		'Pl	one	EUSton	5441-2	



Also Simplified Postal Courses for children for 11 + EXAMINATIONS *Free Attainment Tests, *Courses based on results of these, *Fully Qualified Tutor allocated by name to each child, *FREE 24-page Guide.

Mention the subjects in which you are interested and age of child (if applicable) to **The Registrar**

MERCER'S CORRESPONDENCE COLLEGE Dept. (M.1), 69 Wimpole Street, London W.1

xvii

THE BACK NUMBER SPECIALIST CAN HELP YOU!

All issues **Meccano Magazines** RAILWAYS to 1956 Before 1940 1/-each **RAILWAY WORLD** . . 1/- each 1940-1944 ... 9d. ... Model Railway News to 1956 . . 1945-1949 ... 6d. " . . Model Engineers 6d. each 1950-1952 ... 9d. " . . Model Railway Constructor 1953-1957 1/- " All issues to 1956 9d. each . . 1958 . . 1/3 " **Railway Modellers Railway Magazines** All issues to 1956 1/6 " 1957 issues ... 2/-1925-1939 2/-... 1940-Date 1/6 ... Cigarette Cards Trains Illustrated 100 Clean Mixed 2/6 . . Volume 1 (No. 3) Dec. 1955 1/6 " Write or Call: 1956 - Date 2/- " LENS of SUTTON. **Buses Illustrated 50 CARSHALTON ROAD** 1953 - Date 2/6 SUTTON, SURREY Please add a little for Postage. SENSATIONAL OFFER. Colombia set of 3 showing Sir Winston Churchill, Roosevelt and Stalin. Now scarce, ADVERTISEMENTS STAMP (See also pages 402 and 404) Offered entirely FREE to genuine applicants requesting to see my selected approvals and enclosing 3d. postage. WHITE, Stamp Dealer, Dept. 59, Eastleigh, Hants. Super Catalogue of G.VI Stamps absolutely FREE! COMMONWEALTH CATALOGUE **OEII STAMPS** Classify your collection. Ask for approvals from: APEX STAMPS Published 12th Sept. Price 6/6 (postage 6d.) (Dept. F), 29 Rock Road, Trowbridge, Wiltshire Revised from cover to cover, the 1959 edition is as usual fully bound, of fine art paper. This fine work is the only catalogue devoted exclusively to HEAR ALL CONTINENTS 'QEII'' stamps, and enjoys a huge sale, which makes it possible to sell it at such a low price. WITH H.A.C. SHORT-WAVE RECEIVERS Though favoured by advanced collectors, so clearly explanatory are the listings it this popular catalogue Noted for over 18 years for . . . S.W. Receivers and Kits of Quality. that beginners also find it a superb guide. Armed Improved design with Denco coils: One-Valve Kit, Model "C"......Price 25/-Two-Valve Kit, Model "E".....Price 50/with a copy, even new collectors can enjoy the hobby to the full. Order at once and join the happy band of stamp collectors using it. All kits complete with all main components and COMMONWEALTH STAMP COY. full instructions. (Valves extra if required, 8/each.) Before ordering call and inspect a demon-LEATHER LANE, LIVERPOOL 2 stration receiver, or send stamped, addressed envelope for descriptive catalogue. - CHANCE OF A LIFE-TIME -"H.A.C." SHORT-WAVE PRODUCTS EXTRA-LARGE RUSSIAN AIRMAIL, catalogued (Dept. M.M.), 11 Old Bond Street, London W.1. 17/6 (one only per customer) together with Diamond and Triangular packet, illustrated price list and details of "Abum & 10,000 Stamps" offer-Absolutely M.M. Binding Cases Free to Approvals applicants-postage essential. Please tell your parents. Copies of the Magazine are held in position by specially designed wires fitted on stout and well


secured leather thongs. The cover is in maroon. Single copies can be inserted as received. Price 9/6, post free.


Write to Meccano Magazine, Binns Road, Liverpool 13, enclosing postal order.

JOHN ROBERTS 29 Oxford Road, Cowley, Oxford

Post 3d. Whole World Packets-B.E. (C.W.O.) W.W. 500 5/-; 1,000 10/-; 2,000 24/-; 3,000 40/-; 5,000 90/-; B.E. 500 14/-; 1,000 42/6; 100 1/6. A. S. ABEL, 34 LOVEDEAN, PORTSMOUTH, HANTS.

xviii





or write to the manufacturers for

A SMALL SELECTION

FROM OUR LIST

current price list, enclosing

2d. stamped addressed

envelope.



HORNBY-DUBLO SD6 12-TON VENTILATED VAN

xix

Here's the latest super-detail model in the new series of Hornby-Dublo moulded rolling stock with high-impact polystyrene bodies, die-cast metal frame and moulded spoked wheels.

It represents the B.R. van used extensively for general goods traffic. The high-quality body is finely detailed to show the planking, strappings, door details and the special ends of corrugated form. Finished in bauxite brown, it has a white roof.

Overall Length 3½ in.

U.K. Price: 4/9 (inc. Tax)

Made by Meccano Limited, Binns Road, Liverpool 13

READERS' SALES AND WANTS SALES

Comprehensive Triang Transcontinental Layout. Over £16 new January 1958. Excellent condition, separately boxed and working. Must sell £11 o.n.o. Includes postage anywhere U.K. S.A.E. details— R. H. Devonshire, "Durrants", Claremont Ave., Esher, Surrey.

"M.M.s" May 1950-December 1956, except one. Good condition. Offers-Hughes, Cardwell, Great Rollright, Chipping Norton, Oxon.

Gauge 0 Locomotives (County, B/L Compound and Scotsman). Bogie Coaches, Wagons by B/L, L.M.C. and Hornby, Engine Shed, Spare Mechanisms. Tinplate Electric Track, 20V Transformer/Controllers. S.A.E. for itemised list—22 Cathen Beach Molecular for itemised list—22 Carlton Road, Malvern.

for itemised list—22 Carlton Road, Malvern. Bayko Building Set No. 4. Excellent condition. Highest offer over £4.—Allen, 8 Stanhope Ave., Crewe. Trix Bargain: Two Locos, Track, three Points, Controller, etc. (£14 worth), £7 o.n.o. Apply—Fleming, Throstle Nest Farm, Cottingley, Bingley. "M.M.S" Mint condition offers, 1947 January to May, 1948 January to 1951 September, less 1948 August.— N. Barnes, c/o 11 Wolverton Road Rednal, Birm'ham. "M.M.S" December 1955 to April 1958, price 25/-. Apply—30 Eastern Avenue, Reading, Berks.

LEARN PHOTOGRAPHY THE PRACTICAL WAY

with our new course, which includes services of skilled tutor for complete help and criticism of prints, etc. Processing equipment supplied with course if required. Moderate fees. Free Brochure from:

E.M.I. INSTITUTES (Dept. 197K), London W.4. (Associated with H.M.V.)

HORNBY LOCOMOTIVE PART EXCHANGE COUPON

Complete this coupon, and hand it, with your old clockwork locomotive, to your Meccano dealer, who will deduct the appropriate amount, as shown below, from the cost of a new Hornby-Dublo Locomotive or Train Set.

Old Loco	Allowance	Indicated by cross which type exchanged
MO or No. 20	3/-	
M1 or No. 30	5/-	
Nos. 101 or 40 Tank	7/6	
No. 501 or No. 50/51	9/-	
Type of Hornby-Dubl	lo Locomo	tive or Train Set

purchased in	exchange
Purchaser's	signature
Address	

DEALER'S CERTIFICATE

The above exchange has been effected in accordance with the terms of the Hornby Part-Exchange Scheme.

> Signed..... Meccano Dealer

Dealer's	i Name	
Address		
	••••	
Date		



Registered at the G.P.O., London, for transmission by Canadian Magazine Post.

EDITORIAL AND ADVERTISING OFFICES: LIVERPOOL 13, ENGLAND. Telegrams: "Meccano, Liverpool."

Readers' Sales and Wants. Private advertisements (i.e. not trade) are charged 2d. per word, minimum 2/-. Cash with order. Readers' advertisements are published as soon as possible; inclusion in the first issue after receiving them cannot be guaranteed.

Advertisements of goods currently manufactured by Meccano Ltd. cannot be accepted.

"M.M.s." August 1953-July 1956: 4d. each and ostage.-J. Salter, 50 Pinewood Avenue, New-Haw, Weybridge, Surrey.

WANTS

Hornby No. 2 Special Clockwork Mech. with de-

Hornby No. 2 Special Clockwork Mech. with de-tachable Driving Wheels in good working order.—C. Nix, RK3 Avondale Road, Belleville, Ont., Canada. Obsolete Dinky Toy Cars around 1940—especially Lincoln Continental—please write.—Bevan Johnstone, 356 Platts Lane, S.S.3, London, Ontario, Canada. Pre-war Mecanno Instruction Manuals, Suit Sets 5

and 6, 1930 to 1934; condition immaterial.-Outram,

60 Kirk Brae, Edinburgh 9. Super Model Leaflets up to 10/- each paid, good condition essential. Books of new Models, Prize Models, Manuals, Flywheels, etc.-H. Simmonds, 41 Hugh Road, Smethwick, Staffs.

BOOKS: A.B.C.s L.M.R., W.R., S.R., E			each	2/6
60 Plans for Small Railways How to Photograph Trains British Loco. or Train Postcards, a	assorted	per §	doz,	2/6 7/6 1/9
RAILWAY ACCESSORIES			00	0
Station Staff Sets		2		3/9
Seated Passengers	14.54	. 2		5/3
Ex-R.A.F. 16 Switch Boxes	1.1	7	/6	7/6
New G.W.R. Signals, Home or		. 6	1-	
New G.W.R. Bracket Home Si		. 9	V-	-
New G.W.R. Junction Signal,	2-arm	11	/8	
Scale Stone Walls, 124 in.	14.4	3	/11	-
Stone Ruined Castle (3 pieces)		11	/6	-
Square Water Tower New "00", "TT" or "0" Ra			/11	
New "00", "TT" or "0" Ra POSTAGE EX		ists,	each	6d.

TYLDESLEY & HOLBROOK (M.E.T.A.) DEANSGATE. MANCHESTER 109 2



Wolsey Hall (est. 1894) can prepare you successfully by post for all G.C.E. examinations; Lond. Univ. Degrees and many other exams. Moderate fees, instalments. 29,000 successes since 1930. Prospectus C. D. PARKER, M.A., LL.D., Dept. GK5, WOLSEY HALL, OXFORD

THE MODEL ENGINEER EXHIBITION

Every kind of working model. Diesel and electric car racing tracks. Radio control demonstrations. Workshop and modelling demonstrations. Model club displays. Locomotive track. Model railway layout. NEW HORTICULTURAL HALL, WESTMINSTER 11 a.m.-9 p.m. (closed Sun.). Admission 3/-Juniors 1/6.

AUGUST 20-30

XX



The Toy that grows with the Boy

How much better it is to make your own toys! Make them as you want them, and make them work. Make them with Meccano. When you've made and played with one model, you can take it to pieces and build another with the same parts. Meccano grows in interest as you keep adding to your stocks of gears, wheels, girders and strips as time goes on — it's "the Toy that grows with the Boy".



There is a Meccano Outfit to suit every boy, whatever his age. The No. 00 Outfit costs only 6/11 (inc. Tax) and is suitable for very young boys. Outfit No. 7 illustrated above is excellent for an older boy with an inventive turn of mind; it costs £6.7.6 (inc. Tax).

A Jumbo Mabile Crane built with Outfit No. 8.

MADE IN ENGLAND BY MECCANO LIMITED



New Ready during August



WITH

DINKY TOYS No. 175 HILLMAN MINX SALOON

This wonderfully detailed model of the Hillman Minx reproduces perfectly the sleek lines of the original—even to the transparent windscreen, side windows and wrap-around rear window, and choice of bright duo-tone finishes. Length $3\frac{4}{16}$ in. Price 3/3 (inc. tax).



DINKY TOYS No. 174 HUDSON HORNET SEDAN

From tail lights to front bumper the magnificent styling of this big American car is reproduced in perfect detail. All windows are transparent and there's a choice of bright duo-tone finishes. Length $4\frac{3}{2}$ in. Price 3/6 (inc. tax).

MADE IN ENGLAND BY MECCANO LIMITED

PUBLISHED BY MECCANO Line, BANNS ROAD, LIVERPOOL 13, ENGLAND-Printed by John Waddinston 414, Lords and London