MECCANO

(PATENTED)


INSTRUCTIONS

FOR THE NOO OUTFIT

PRICE 4º

Two Minds with but a Single Thought"

COPYRIGHT 1918. By MECCANO LTD.




A TALK WITH NEW MECCANO BOYS

Boys! This book is only the beginning of Meccano. You will get lots of fun building the models which it contains, but best of all it will show you what a fine hobby Meccano is, and how easy and delightful it is to build models with it.

tent 140 bas who or at ensured

Wouldn't you like to build all the splendid Meccano models which you have seen on exhibition in the toyshops, and in our advertisements, and in the books and leaflets which we publish? Nothing could be easier; all the Meccano parts fit in with those you have in your No. O Outfit. This is the advantage of

the standardisation of the whole Meccano system. Once you have got the idea of the equidistant holes, and the interchangeable parts, you can do anything with them. Take, for instance, one of the models which looks most complicated—the Meccano loom. It is just as easy for you to build it as it is for an engineer or a skilled mechanic.



That is what the Meccano system does—the genius and skill and knowledge are in the parts, and all you have to do is to screw them together. And when you have made a model such as the loom, you can do something with it. You can weave ties and belts in all colours and designs, just as good as the best you can buy in the shops. Our big Manual of Instructions shows you how to make this model, and it also shows you how to make the Helter-Skelter, and the big Cranes and Bridges, and all the prize models


which have been sent in by expert Meccano boys, and which took big money prizes.

Remember, boys, that with Meccano you can make anything and everything which you can make with any other system, and that no other system can make the Meccano models.

THE NEW FULL MECCANO MANUAL OF INSTRUCTIONS CONTAINS
HUNDREDS OF PRIZE-WINNING MODELS.
GET YOUR COPY AT ONCE.

and winding of Mercana Contain easing the Mercana bear included bounder; replicate to bear analysis in which

YOU can build this Model of the wonderful British Tank with MECCANO



Meccano is Easy

Meccano is so easy, and our instructions are so complete, that we do not believe you will have any trouble; but if there is anything you do not quite understand, or if you have any suggestions to make, do not fail to write to us.


Boys! Build Bigger Models

When you have completed all the models in this book, your next purchase will be a No. 0a Accessory Outfit. This will convert your No. 0 Outfit into a No. 1. You will receive a large number of extra parts, and a big Manual of Instructions. You will be able to build scores of new and fascinating models, and will then realise what a wonderful hobby Meccano is.

The Meccano Magazine


This is a splendid Magazine, which is published for Meccano users. You will miss a lot of fun and pleasure if you do not become a regular reader. It contains articles on Meccano topics; essays by Meccano boys; tips to model-builders; replies to boys' queries by the Editor; announcements of new prize competitions which are running all the time, and which enable you to win valuable prizes; lists of prize-winners; and all kinds of useful information for boys. Write to the Editor, and he will send you your first copy FREE. If you wish to receive the Meccano Magazine regularly, you should send 2d. in stamps to cover postage on the next four issues. A double subscription of 4d. will, of course, ensure your receiving the next eight issues. Address your letters to the Editor, Meccano Works, Binns Road, Liverpool.

SPLENDID NEW MECCANO MODELS




Pit Head Gear

A fine toy, giving great fun. The cages work up and down, carrying loads. Note the splendid use of the Meccano braced girder These are just one or two of the fine new models which Meccano makes. The complete Meccano Manual is full of good things—hundreds of prize-winning models from all over the world. Get your copy at once. It costs 1/6, or 1/9 post paid.



Meccano Field Gun


Easy to make and furnishes endless amusement



Meccano Loom

The mechanism is fully automatic and it is only necessary to turn the handle to weave ties, belts, etc., in all designs and colours. This is a Meccano triumph which every Meccano boy must make. It will teach you all about weaving. Full instructions how to make it in the full Manual of Instructions


THE MORE MECCANO YOU HAVE, THE BIGGER AND BETTER THE MODELS YOU CAN BUILD




HOW TO BUILD WITH MECCANO

Follow the instructions closely at first, and build the models just as you see them. Then take each model and try to improve on our design. Every model can be made in a dozen different ways. Screw them all up tight, and you will find that you can play with the trucks and cranes and signals, &c., and do all kinds of work with them.

The braced girder and the large wheels are, of course, separate parts which you can either purchase separately or in the Inventor's Outfit, but wherever they are shown the ordinary Meccano strips and wheels may be used instead.




Trucks and Luggage Carts






Model No. 3





In a Revolver Truck (Model No. 2) the two end wheels are always raised just a little higher than the two centre wheels with a moderate amount of play on the axles, so that the Truck may be quickly revolved upon the centre wheels.


The bearings for the end axles are formed by connecting two angle brackets together, as shown in Fig. 2A, and bolting them in each end hole at the sides of the plate.

Model No. 5












Trucks and Luggage Carts (continued)





Model No. 17 Go Chair Model No. 18
Well Windlass
















Model No. 23


Potter's Wheel








Model No. 24 Polishing Spindle




Model No. 25 Hoisting Block




Model No. 26

Model No. 27 Railway Signal




The stamp of this model is raised and dropped by a $2\frac{1}{2}$ " strip attached to a bush wheel.







Model No. 31 Tower Wagon



Model No. 32 Drilling Machine




Model No. 36 Ore Crusher




Model No. 34 Buffers







Model No. 37 Buffing Spindle





Model No. 38 Swivelling Crane



The sector plate of the Crane in this model is pivoted to the base.







Model No. 59
Telegraph Code Key




Ticca Gharry


Model No. 55

Timber Drag

Model No. 57 WRoulette Wheel



Gong




Model No. 61
Rock Drill


Cut out a circular piece of cardboard and mark as shown to form scoring board. This is clamped between two I" pulley wheels. • The pointer revolves freely on the upright spindle and is held In position by another 1" pulley wheel.

Model No. 60 Sleigh




14)






Model No. 71 Bogey Car




Model No. 72
Music Stand


Model No. 73
Steering Truck




Model No. 74

Devil Wall







Model No. 77
Grill

Model No. 76
Invalid Chair



Model No. 78
Lurry



MECCANO

HORNBY'S ORIGINAL SYSTEM PATENTED 1901

Patents and Designs, Great Britain.

22,962-13	577,272	2085-11	3869-14
20,535-13	577,207	4183-14	4564-15
21,117-12	648,958		

PATENTED THROUGHOUT THE WORLD

Meccano is more than a Toy

T is important to remember that when a boy is playing with MECCANO he is using engineering parts in miniature, and that these parts act in precisely the same way as the corresponding engineering elements would do in actual practice. No other system of model construction could, therefore, be correct. Other toys which attempt the same object by other methods must avail themselves of other constructive elements which are not correct engineering elements. Consequently, though a boy may succeed in building playthings with them, they are merely toys and nothing else, and his mind, as regards proper mechanical construction and methods, is distorted instead of instructed. He thus learns wrong principles, and, when his ambition tempts him to invent or construct more elaborate models, he will be stopped by the deficiencies of his non-mechanical system.

Prices of Meccano Accessory Parts

No. s. d.	No. s. d.	No. s. d.
1. Perforated Strips, $12\frac{1}{2}$ " long $\frac{1}{2}$ doz. 1 3	24. Bush Wheels each 0 6	54. Perforated Sector Plates each 0 5
2. " " $5\frac{1}{2}$ " " " 0 9	25. Pinion Wheels, 3" diam. , 1 0	56. Instruction Manuals, No. 1, 1/6; No. 2, 1/3
2. " " 5½" " " 0 9 3. " " 0 5 4. " 0 3" " 0 4	26. , , , , 2" , , , , 0 8	57. Hooks / each 0 1
4. " " " 0 4	27. Gear Wheels, 50 teeth to gear with	58. Spring Cord, per length " 1 0
5. " " 2½" " " 0 4 6. " " 2" " " 0 4	3" pinion each 0 10	59. Collars and Set Screws ,, 0 2
6. " " 2" " " 0 4	27A. Gear Wheels, 56 teeth to gear with	60. Bent Strips, 2½" long per ½ doz. 0 9
8. Angle Girders, 121 long ,, 1 9	1" pinion each 1 0	61. Windmill Sails each 0 3
9. " $5\frac{1}{2}$ " " " $\frac{1}{2}$ 0	28. Contrate Wheels, 1½" diam " 1 3	62. Cranks
10. Flat Brackets ,, 0 3	29. ,, ,, ,, 1 0	63. Couplings , 0 6
11. Double Brackets each 0 1 12. Angle Brackets doz 0 6	32. Worm Wheels , 0 10	65. Centre Forks 0 1
12. Angle Brackets doz. 0 6 13. Silver Steel Axle Rods, 111" long, each 0 5	33. Pawls , 0 3	94. Sprocket Chain, per yard , 1 0
13a. Axle Rods, 8" long , 0 3	34. Spanners ,, 0 3	95. " Wheels, 2" diam " 0 6
14 6" 0 2	35. Spring Clips per box (doz.) 0 6	96. " " " " " 0 4
15. " 5" " " 0 2	36 Screw Drivers each 0 3	99. Braced Girders, 12½" long ½ doz. 1 9
15A. " $4\frac{1}{2}$ " " " 0 2	37. Nuts and Bolts per box (doz.) 0 6	100. " " 2½" " " " 1 0
16. ", 3½", ", 0 1	37A. Nuts	101. Healds, for Looms doz. 0 9
17. ", 2" ", ", 0 1	38. Washers doz. 0 2	103. Flat Girders, 53" long , each 0 2
18a " 1" " " 0 1	40. Hanks of Cord each O 1	
19. Crank Handles " 0 3		104. Shuttles , , , , 1 0
19a. Wheels, 3" diam ,, 0 4	41. Propeller Blades per pair 0 6	100. 1000 11000 . ,, ,, ,, ,,
20. Flanged and Grooved Wheels " 0 9	43. Springs each 0 2	106. Rollers " " " " 0 6
Pulley Wheels.	44. Cranked Bent Strips " 0 2	107. Tables, for Designing Machines ,, 1 0
20A. 2" diam., with set screw each 0 6	45. Double Bent Strips " 0 2	S1. Spring Motor " 7 6
01 11//	46. Large Bent Strips " 0 3	El. Electric Motor ,, 7 6
22 17 0 4	47a. Dynometers (tension) , 2 6	E2. " " 12 6
22A. 1" " without " " 0 2	50. Eye Pieces " 0 2	
23. ¼" " " " " 0 2	52. Perforated Flanged Plates, $5\frac{1}{2}'' \times 2\frac{1}{2}''$ ea. 0 6	
23A. ½" , with , 0 4	53. , , $3\frac{1}{2}$ × $2\frac{1}{2}$ ea. 0 5	target at transferred ND PM

Contents of No. 0 Outfit.

	Saff Larry Har Hay		er for		-	1000		ofuer norther vienes releases	35 -	of the last	Ouantity
No.					Qu	antity	No.				Quantity
2.	53" Perforated Strips	0.10			***	4	35.	Spring Clips		••	4
5.	21/2 ,, ,,	•.•	42.0			9	36.	Combined Screwdriver and Spanner	• • •	0.0	«. l
10.	Flat Brackets				**	4	37.	Nuts and Bolts		6279	25
12.	Angle Brackets					8		Hank of Cord		***	1
			•**			2				•1•	i
	2" Rods	bol		i lo do	9 p	2	52.	Perforated Flanged Plate, 5½ × 2½	nearth a		. 1
	Small Crank Handle					1	54.	Perforated Sector Plate		• •	1
	1" Pulley Wheels with				4 101	4			***		_ 1
	1" Pulley Wheel withou					1	57:	Hook		1000	1
	Bush Wheel				••	1	60.		••		2
								[2] [2] [2] [3] [3] [4] [4] [4] [4] [4] [4] [4] [4] [4] [4			

Price List

No. 0.	Meccano	Outfit								=16
	Wieccano	Outilit	•••	•••	•••	•••	•••		•••	5/6
No. 1.	,,,	"				•••				9/-
No. 2.	,,	,,	•••							16/6
No. 3.	,,	,,			•••					25/-
No. 4.	,,	,,								42/-
No. 5.	,,,	,,				acked in neat				57/6
Do.			otion	0.464		acked in near	and wen-n	nade cardbo	ard box	
D 0.	, , , , , , , , , , , , , , , , , , , ,	Present	ation	Outfit		superior oak	cabinet with	look and k	• • •	82/6
No. 6.	,,,		,,	,,		Ditto	capillet with	ditto	cy	145/-
No. 0A.	Meccano	Accesso	ory O	utfit		ning suffi D into a			nvert	4/-
No. 1A.					(contain	ning suffi	cient par	rts to co		9/-
	99	"		35	a No.	r into a l ning suffi	No. 2 Ot	itfit)	•••	
No. 2A.	"	,,		"	a No.	2 into a l	No. 3 Or	itfit)	mvert	9/6
No. 3A.	,,				(contain	ning suffi	cient par	rts to co	nvert	18/-
	**************************************	"		"	a No.	3 into a l	No. 4 Or	itfit)	•••	
No. 4A.	"	,,,		"	a No.	4 into a l	No. 5 Or	rts to co	onvert	14/-
No. 5A.	,,	=			(contain	ing suffic	cient par	ts to co		FO /
	"	,,		"	a No.	5 into a lacked in neat	No. 6 Or	itfit)	ard box	50/-
Do.	99	"		. ,,		ked in superio				77/6
Meccano	Inventor	's Acce	ssorv	Outfi	t					7/6
				J 5.011		•••	•••		***	110

